AUTHOR INDEX TO VOLUME 55

Abi-Dargham A, Kegeles LS, Zea-Ponce Y, Mawlawi O, Martinez D, Mitropoulou V, O'Flynn K, Koenigsberg HW, Van Heertum R, Cooper T, Laruelle M, Siever LJ. Strial amphetamine-induced dopamine release in patients with schizotypal personality disorder studied with single photon emission computed tomography and [^{123}I]iodobenzamide, 1001
Acion L. *See* Jorge RE
Addington AM. *See* Sporn AL
Addington AM, Gornick M, Sporn AL, Gogtay N, Greenstein D, Lenane M, Gochman P, Baker N, Balkissoon R, Vakkalanka RK, Weinberger DR, Straub RE, Rapoport JL. Polymorphisms in the 13q33.2 gene *G72/G30* are associated with childhood-onset schizophrenia and psychosis not otherwise specified, 976
Adolfsson R. *See* Johansson C
Afzal N. *See* Bremner JD
Ahmadiyeh N, Slone-Wilcoxon JL, Takahashi JS, Redei EE. Maternal behavior modulates X-linked inheritance of behavioral coping in the defensive burying test, 1069
Akay M. *See* Mellman TA
Akil H. *See* López-Figueroa AL; Tomita H
Albus M. *See* Hranilovic D
Alexander AL. *See* Somerville LH
Allonen T. *See* Tiihonen J
Altamirano AV. *See* Bemmansour S
Anderson B. *See* Li X; Mu Q
Anderson G. *See* Bremner JD
Ando T. *See* Yasuno F
Andreasen NC. *See* Ho B-C
Andrew C. *See* Lawrence NS
Angold A. *See* Rowe R
Antoni G. *See* Bergström M
Arai M, Itokawa M, Yamada K, Toyota T, Arai M, Haga S, Ujike H, Sora I, Ikeda K, Yoshikawa T. Association of neural cell adhesion molecule 1 gene polymorphisms with bipolar affective disorder in Japanese individuals, 804
Arango V. *See* Chamas FM
Arce E. *See* Raine A
Ari-Even-Roth D. *See* Bar-Haim Y
Arinami T. *See* Horiuchi Y
Armellini-Dodel D. *See* López-Figueroa AL
Arndt S. *See* Jorge RE
Aron L. *See* Johansson C
Ashtari M. *See* Kumra S
Astruc B. *See* Courtet P
Atz ME. *See* Tomita H
Auerbach PP. *See* Swerdlow NR
Augustin R. *See* Kumra S

Baaré WFC. *See* Hulshoff Pol HE
Baas JM, Nugent M, Lissek S, Pine DS, Grillon C. Fear conditioning in virtual reality contexts: a new tool for the study of anxiety, 1056
Babcock E. *See* Brown ES
Bahn S. *See* Mimmack ML; Ryan MM
Bailey JN. *See* Fairbanks LA
Baker N. *See* Addington AM
Balfour DJK. *See* Stewart CA
Balkissoon R. *See* Addington AM
Ballmaier M, Sowell ER, Thompson PM, Kumar A, Narr KL, Lavretsky H, Welcome SE, DeLuca H, Toga AW. Mapping brain size and cortical gray matter changes in elderly depression, 382
Bar G. *See* Heresco-Levy U
Barch DM. *See* Forman SD; Hershey T
Bardi M, French JA, Ramirez SM, Brent L. The role of the endocrine system in baboon maternal behavior, 724
Bar-Haim Y, Henkin Y, Ari-Even-Roth D, Tetin-Schneider S, Hildesheimer M, Muchnik C. Reduced auditory efferent activity in childhood selective mutism, 1061
Barnea-Goraly N, Kwon H, Menon V, Eliez S, Lotspeich L, Reiss AL. White matter structure in autism: preliminary evidence from diffusion tensor imaging, 323
Barr CS, Newman TK, Shannon C, Parker C, Dvoskin RL, Becker ML, Schwandt M, Champoux M, Lesch KP, Goldman D, Suomi SJ, Higley JD. Rearing condition and rh5-HTTLPR interact to influence limbic-hypothalamic-pituitary-adrenal axis to stress in infant macaques, 733
Barth VN. *See* Seager MA
Bartzokis G. *See* Brody AL
Battisti WP. *See* Bergström M
Battistini M. *See* Morrison MF
Beblo T. *See* Driessen M
Becker DE. *See* Kumra S
Becker ML. *See* Barr CS
Bellivier F. *See* Courtet P
Bemmansour S, Altamirano AV, Jones DJ, Sanchez TA, Gould GG, Pardon M-C, Morilak DA, Frazer A. Regulation of the norepinephrine transporter by chronic administration of antidepressants, 313
Bencherif B, Wand GS, McCaul ME, Kim YK, Ilgin N, Dannals RF, Frost JJ. Mu-opioid receptor binding measured by [^{11}C]carfentail positron emission tomography is related to craving and mood in alcohol dependence, 255
Bengzon J. *See* Hellsten J
Benoit M. *See* Lindley SE
Berding G, Müller-Vahl K, Schneider U, Gielow P, Fitschen J, Stuhrmann M, Harke H, Buchert R, Donnerstag F, Hofmann M, Knoop BO, Brooks DJ, Emrich HM, Knapp WH. [^{123}I]AM281 single-photon emission computed tomography imaging of central cannabinoid CB1 receptors before and after Δ9-tetrahydrocannabinol therapy and whole-body scanning for assessment of radiation dose in Tourette patients, 904
Bergan A. *See* O'Reardon JP
Bergen SE. *See* Sweet RA
Bergström M, Hargreaves RJ, Burns HD, Goldberg MR, Sciberras D, Reines SA, Petty KJ, Ögren M, Antoni G, Långström B, Eskola O, Scheinin M, Solin O, Majumdar AK, Constanzer ML, Battisti WP, Bradstreet TE, Gargano C, Hietala J. Human positron emission tomography studies of brain neurokinin 1 receptor occupancy by aprepitant, 1007
Bersson YB. *See* Stopkova P
Best JJK. *See* Harris JM
Bezchlibnyk YB. *See* Young LT
Bibl M. *See* Lewczuk P
Biederman J, Faraone SV, Monuteaux MC, Bober M, Cadogen E. Gender effects on attention-deficit/hyperactivity disorder in adults, revisited, 692
Biggio G. *See* Dazzi L
Bihrle S. *See* Raine A
Bilder RM. *See* McClure EB; Narr KL
Bilker WB. *See* Gur RE

0006-3223/04/$30.00
doi:10.1016/S0006-3223(04)00548-7

© 2004 Society of Biological Psychiatry

Blachman BA. *See* Shaywitz BA
Black KJ. *See* Hershey T
Blailes F. *See* Myles-Worsley M
Blanpied TA, Ehlers MD. Microanatomy of dendritic spines: emerging principles of synaptic pathology in psychiatric and neurological disease, 1121
Blier P. *See* Shapira NA; Szabo ST
Bobadilla L. *See* Brown ES
Bober M. *See* Biederman J
Böcker KBE. *See* Kemner C
Bohning DE. *See* Li X; Mu Q
Bonne O. *See* Gilboa A
Bonsall R. *See* Newport DJ
Bonura L. *See* Corrigan MH
Boronow JJ. *See* Dickerson FB
Borrmann-Hassenbach M. *See* Hranilovic D
Boss V. *See* Vaiva G
Bossert JM. *See* Shepard JD
Bota RG. *See* Brody AL
Bowden CL. *See* Perlis RH
Bowers MB Jr. *See* Nelson JC
Bradstreet TE. *See* Bergström M
Brahmachari SK. *See* Verma R
Brambilla P. *See* Lacerda ALT
Brammer MJ. *See* Lawrence NS
Brans RGH. *See* Hulshoff Pol HE
Bravaccio C. *See* Conciatori M
Braver TS. *See* Forman SD; Hershey T
Breidenthal SE. *See* Fairbanks LA
Breiter H. *See* Thermenos HW
Bremner JD. *See* Schmahl CG
Bremner JD, Vermetten E, Vythilingam M, Afzal N, Schmahl C, Elzinga B, Charney DS. Neural correlates of the classic color and emotional Stroop in women with abuse-related posttraumatic stress disorder, 612
Bremner JD, Vythilingam M, Vermetten E, Anderson G, Newcomer JW, Charney DS. Effects of glucocorticoids on declarative memory function in major depression, 811
Brennan AR. *See* Gur RE
Brent L. *See* Bardi M
Breslau N, Novak SP, Kessler RC. Psychiatric disorders and stages of smoking, 69
Brewer-Smyth K, Burgess AW, Shults J. Physical and sexual abuse, salivary cortisol, and neurologic correlates of violent criminal behavior in female prison inmates, 21
Briegel J. *See* Schelling G
Brodkin ES. *See* Potenza MN
Brody AL, Mandelkern MA, Jarvik ME, Lee GS, Smith EC, Huang JC, Bota RG, Bartzokis G, London ED. Differences between smokers and nonsmokers in regional gray matter volumes and densities, 77
Brooking J. *See* Mimmack ML
Brooks DJ. *See* Berding G
Brown ES, Varghese FP, McEwen BS. Association of depression with medical illness: does cortisol play a role?, 1
Brown ES, Woolston EJ, Frol A, Bobadilla L, Khan DA, Hanczyc M, Rush AJ, Fleckenstein J, Babcock E, Cullum CM. Hippocampal volume, spectroscopy, cognition, and mood in patients receiving corticosteroid therapy, 538
Brunet A. *See* Vaiva G
Buchert R. *See* Berding G
Buckland P. *See* Williams NE
Bughardt NS, Sullivan GM, McEwen BS, Gorman JM, LeDoux JE. The selective serotonin reuptake inhibitor citalopram increases fear after acute treatment but reduces fear with chronic treatment: a comparison with tianeptine, 1171
Bunney WE Jr. *See* Tomita H
Buresi C. *See* Courtet P
Burgess AW. *See* Brewer-Smyth K
Burke S. *See* López-Figueroa AL; Patel PD
Burmeister M. *See* Sen S
Burnet PWJ, Eastwood SL, Harrison PJ. Laser-assisted microdissection: methods for the molecular analysis of psychiatric disorders at a cellular resolution, 107
Burns HD. *See* Bergström M
Busa E. *See* Rauch SL

Cadogen E. *See* Biederman J
Calderon G. *See* Elliott R
Calhoun VD, Kiehl KA, Liddle PF, Pearlson GD. Aberrant localization of synchronous hemodynamic activity in auditory cortex reliably characterizes schizophrenia, 842
Carl JL. *See* Hershey T
Carlson EB. *See* Lindley SE
Carter CS. *See* May JC; Rogers RD
Carter DA. Comprehensive strategies to study neuronal function in transgenic animal models, 785
Casey BJ. *See* Forman SD
Castelnau D. *See* Courtet P
Chacon P, Rosario-Campos MC, Hounie AG, Lopes AC, Curi M, Miguel EC. Comment on "The Identification of OCD-related Subgroups Based on Comorbidity," 960
Chae J-H. *See* Mu Q
Chamas FM, Underwood MD, Arango V, Serova L, Kassir SA, Mann JJ, Sabban EL. Immobilization stress elevates tryptophan hydroxylase mRNA and protein in the rat raphe nuclei, 278
Champoux M. *See* Barr CS
Chang C-H. *See* Chen WJ
Charney DS. *See* Bremner JD; Luo X; McClure EB
Chauhan C. *See* Verma R
Chemerinski E. *See* Jorge RE
Chen B. *See* Young LT
Chen QC. *See* May FS
Chen WJ, Chang C-H, Liu SK, Hwang TJ, Hwu H-G. Sustained attention deficits in nonpsychotic relatives of schizophrenic patients: a recurrence risk ratio analysis, 995
Chen Y, Levy DL, Sheremata S, Holzman PS. Compromised late-stage motion processing in schizophrenia, 834
Cherchi G. *See* Dazzi L
Chisin R. *See* Gilboa A
Choi L. *See* Oswald LM
Chong M-Y. *See* Tsai G
Chopra MP. *See* O'Reardon JP
Choudary PV. *See* Tomita H
Chowdari KV. *See* Williams NE
Christensen J. *See* Vasa RA
Cirulli F. *See* Roceri M
Clark L. *See* Turner DC
Clasen L. *See* Sporn AL
Codon K. *See* Swerdlow NR
Cole S. *See* Dickerson FB
Colletti P. *See* Raine A
Comuzzie AG. *See* Rogers J
Conciatori M, Stodgell CJ, Hyman SL, O'Bara M, Militerni R, Bravaccio C, Trillo S, Montecchi F, Schneider C, Melmed R,

Elia M, Crawford L, Spence SJ, Muscarella L, Guarnieri V, D'Agruma L, Quattrone A, Zelante L, Rabinowitz D, Pascucci T, Puglisi-Allegra S, Reichelt K-L, Rodier PM, Persico AM. Association between the *HOXA1* A218G polymorphism and increased head circumference in patients with autism, 413
Conley RR. *See* Dwivedi Y
Constable RT. *See* Shaywitz BA
Constanzer ML. *See* Bergström M
Cools AR. *See* Ellenbroek BA
Cooper T. *See* Abi-Dargham A
Corr PJ. *See* Dahmen JC
Corrigan MH, Gallen CC, Bonura L, Merchant KM. Effectiveness of the selective D4 antagonist sonepiprazole in schizophrenia: a placebo-controlled trial, 445
Costello EJ. *See* Rowe R
Cottencin O. *See* Vaiva G
Courtet P, Picot M-C, Bellivier F, Torres S, Jollant F, Michelon C, Castelnau D, Astruc B, Buresi C, Malafosse A. Serotonin transporter gene may be involved in short-term risk of subsequent suicide attempts, 46
Crawford L. *See* Conciatori M
Crits-Christoph P. *See* O'Reardon JP
Cullum CM. *See* Brown ES
Curi M. *See* Chacon P
Czéh B. *See* Lucassen PJ

Dager SR. *See* Lyoo IK
Dagge A. *See* Schelling G
D'Agruma L. *See* Conciatori M
Dahl RE. *See* May JC
Dahmen JC, Corr PJ. Prepulse-elicited startle in prepulse inhibition, 98
Dale AM. *See* Rauch SL
Dannals RF. *See* Bencherif B; Szabo Z
Davis S. *See* Thomas AJ
Dawson ME. *See* Wynn JK
Dazzi L, Seu E, Cherchi G, Biggio G. Inhibition of stress-induced dopamine output in the rat prefrontal cortex by chronic treatment with olanzapine, 477
De Bellis MD. *See* Thomas LA
de Bruin NMWJ. *See* Ellenbroek BA
De Geus F. *See* Denys D
De Murtas M, Tatarelli R, Girardi P, Vicini S. Repeated electroconvulsive stimulation impairs long-term depression in the neostriatum, 472
de Quervain D J-F. *See* Schelling G
DelBello MP. *See* Perlis RH
Delgado MR. *See* May JC
DeLisi LE. *See* Porton B
DeLuca H. *See* Ballmaier M
Demopulos CM. *See* Lyoo IK
Denslow S. *See* Mu Q
Denys D, van der Wee N, Janssen J, De Geus F, Westenberg HGM. Low level of dopaminergic D2 receptor binding in obsessive-compulsive disorder, 1041
DeRubeis RJ. *See* O'Reardon JP
Detera-Wadleigh SD. *See* Horiuchi Y
Devos P. *See* Vaiva G
DeWitt I. *See* Weiss AP
Dickerson FB, Boronow JJ, Stallings C, Origoni AE, Cole S, Krivogorsky B, Yolken RH. Infection with herpes simplex virus type 1 is associated with cognitive deficits in bipolar disorder, 588
Dickey CC. *See* Levitt JJ; Wiegand LC
Dickinson D, Iannone VN, Wilk CM, Gold JM. General and specific cognitive deficits in schizophrenia, 826
Dickstein DP, Treland JE, Snow J, McClure EB, Mehta MS, Towbin KE, Pine DS, Leibenluft E. Neuropsychological performance in pediatric bipolar disorder, 32
Dimitrova A. *See* Kirov G
Dolan RJ. *See* Elliott R
Donnerstag F. *See* Berding G
Dougherty GG. *See* Forman SD
Dowson J. *See* Turner DC
Drevets WC. *See* Hamidi M
Driessen M, Beblo T, Mertens M, Piefke M, Rullkoetter N, Silva-Saavedra A, Reddemann L, Rau H, Markowitsch HJ, Wulff H, Lange W, Woermann FG. Posttraumatic stress disorder and fMRI activation patterns of traumatic memory in patients with borderline personality disorder, 603
D'Souza C. *See* Jacobsen LK
Ducrocq F. *See* Vaiva G
Dunner DL. *See* Lyoo IK
Dvoskin RL. *See* Barr CS
Dwivedi Y, Rizavi HS, Shukla PK, Lyons J, Faludi G, Palkovits M, Sarosi A, Conley RR, Roberts RC, Tamminga CA, Pandey GN. Protein kinase A in postmortem brain of depressed suicide victims: altered expression of specific regulatory and catalytic subunits, 234

Eastwood SL. *See* Burnet PWJ
Ecker C. *See* Lawrence NS
Edge P. *See* Murphy TK
Ehlers MD. *See* Blanpied TA
Ejima N. *See* Ohnishi T
Ekholm J. *See* Johansson C
Eldar-Finkelman H. *See* Kaidanovich-Beilin O
Elia M. *See* Conciatori M
Eliez S. *See* Barnea-Goraly N
Ellenbroek BA, de Bruin NMWJ, van Den Kroonenburg PTJM, van Luijtellar ELJM, Cools AR. The effects of early maternal deprivation on auditory information processing in adult Wistar rats, 701
Elliott R, Ogilvie A, Rubinsztein JS, Calderon G, Dolan RJ, Sahakian BJ. Abnormal ventral frontal response during performance of an affective go/no go task in patients with mania, 1163
Elzinga B. *See* Bremner JD
Elzinga BM. *See* Schmahl CG
Emrich HM. *See* Berding G
Erdos J. *See* Luo X
Ermilov M. *See* Heresco-Levy U
Ernst M. *See* McClure EB
Eskola O. *See* Bergström M
Esselmann H. *See* Lewczuk P
Estepar RSJ. *See* Levitt JJ
Evans SJ. *See* Tomita H

Fairbanks LA, Newman TK, Bailey JN, Jorgensen MJ, Breidenthal SE, Ophoff RA, Comuzzie AG, Martin LJ, Rogers J. Genetic contributions to social impulsivity and aggressiveness in Vervet monkeys, 642
Faludi G. *See* Dwivedi Y
Faraone SV. *See* Biederman J; Thermenos HW

Feinstein JS. *See* Paulus MP
Ferreira A. *See* Porton B
Ferrier IN. *See* Thomas AJ
Fiez JA. *See* May JC
Fischl B. *See* Rauch SL
Fitschen J. *See* Berding G
Fleckenstein J. *See* Brown ES
Fletcher JM. *See* Shaywitz BA
Fontaine M. *See* Vaiva G
Forman SD, Dougherty GG, Casey BJ, Siegle GJ, Braver TS, Barch DM, Stenger VA, Wick-Hull C, Pisarov LA, Lorensen E. Opiate addicts lack error-dependent activation of rostral anterior cingulate, 531
Frangou S. *See* Hadjulis M; Lawrence NS
Frank E. *See* Lacerda ALT
Frasure-Smith N, Lespérance F, Julien P. Major depression is associated with lower omega-3 fatty acid levels in patients with recent acute coronary syndromes, 891
Frazer A. *See* Bemmansour S
Freedman R. *See* Myles-Worsley M
Freeman T. *See* Ryan MM
Freisleder FJ. *See* Heinrich H
French JA. *See* Bardi M
Friedman SD. *See* Lyoo IK
Frol A. *See* Brown ES
Frost JJ. *See* Bencherif B
Fuchs E. *See* Lucassen PJ
Fukuda M. *See* Suto T
Fulbright RK. *See* Shaywitz BA
Fuller RB. *See* Prudic J
Fumagalli F. *See* Maragnoli ME
Furukawa A. *See* Miyatake R

Gallen CC. *See* Corrigan MH
Gallop R. *See* O'Reardon JP
Gandhi C. *See* Verma R
Gargano C. *See* Bergström M
Gelernter J. *See* Luo X; Potenza MN
Gennarelli M. *See* Maragnoli ME
George MS. *See* Li X; Mu Q
Gerloff C. *See* Plewnia C
Gerring JP. *See* Vasa RA
Gevensleben H. *See* Heinrich H
Giampietro V. *See* Lawrence NS
Gielow P. *See* Berding G
Gilbertson MW. *See* May FS
Gilboa A, Shalev AY, Laor L, Lester H, Louzoun Y, Chisin R, Bonne O. Functional connectivity of the prefrontal cortex and the amygdala in posttraumatic stress disorder, 263
Ginovart N, Wilson AA, Houle SY, Kapur S. Amphetamine pretreatment induces a change in both D2-receptor density and apparent affinity: a [11C]raclopride positron emission tomography study in cats, 1188
Girardi P. *See* De Murtas M
Gleiberman L. *See* Sen S
Gochman P. *See* Addington AM; Sporn AL
Goff D. *See* Weiss AP
Gogtay N. *See* Addington AM; Sporn AL
Goins J. *See* Swerdlow NR
Gold JM. *See* Dickinson D
Gold MS. *See* Szabo ST
Goldberg MR. *See* Bergström M
Goldberg TE. *See* Mishara AL
Goldberger BA. *See* Szabo ST
Goldman D. *See* Barr CS
Goldstein JM. *See* Thermenos HW
Golier JA. *See* Yehuda R
Goodman JM. *See* Thermenos HW
Goodman WK. *See* Murphy TK; Shapira NA
Goodyer IM. *See* Halligan SL
Gore JC. *See* Shaywitz BA
Gorman JM. *See* Bughardt NS
Gornick M. *See* Addington AM; Sporn AL
Goto Y, O'Donnell P. Prefrontal lesion reverses abnormal mesoaccumbens response in an animal model of schizophrenia, 172
Gottschalk C. *See* Kosten TR
Goudemand M. *See* Vaiva G
Gould GG. *See* Bemmansour S
Grados M. *See* Vasa RA
Grande C, Zhu H, Martin AB, Lee M, Ortiz O, Hiroi N, Moratalla R. Chronic treatment with atypical neuroleptics induces striosomal FosB/ΔFosB expression in rats, 457
Green MF. *See* Wynn JK
Greenstein D. *See* Addington AM; Sporn AL
Grillon C. *See* Baas JM
Groemer TW. *See* Lewczuk P
Guarnieri V. *See* Conciatori M
Gur RC. *See* Gur RE
Gur RE, Kohler C, Turetsky BI, Siegel SJ, Kanes SJ, Bilker WB, Brennan AR, Gur RC. A sexually dimorphic ratio of orbitofrontal to amygdala volume is altered in schizophrenia, 512
Gyato K. *See* Kumra S

Hadjulis M, Pipe R, Frangou S. Normal cerebral volume asymmetries in early onset schizophrenia, 148
Haga S. *See* Arai M
Halligan SL. *See* Yehuda R
Halligan SL, Herbert J, Goodyer IM, Murray L. Exposure to postnatal depression predicts elevated cortisol in adolescent offspring, 376
Hamidi M, Drevets WC, Price JL. Glial reduction in amygdala in major depressive disorder is due to oligodendrocytes, 563
Hanczyc M. *See* Brown ES
Hardan AY. *See* Lacerda ALT
Hargreaves RJ. *See* Bergström M
Harke H. *See* Berding G
Harris JM, Yates S, Miller P, Best JJK, Johnstone EC, Lawrie SM. Gyrification in first-episode schizophrenia: a morphometric study, 141
Harrison PJ. *See* Burnet PWJ
Hartlein JM. *See* Hershey T
Harvey PD. *See* Yehuda R
Hayashi T. *See* Ohnishi T
Heckers S. *See* Weiss AP; Wiegand LC
Heim C. *See* Newport DJ
Heinrich H, Gevensleben H, Freisleder FJ, Moll GH, Rothenberger A. Training of slow cortical potentials in attention-deficit/hyperactivity disorder: evidence for positive behavioral and neurophysiological effects, 772
Hellsten J. *See* Wennström M
Hellsten J, Wennström M, Bengzon J, Mohapel P, Tingström A. Electroconvulsive seizures induced endothelial cell proliferation in adult rat hippocampus, 420

Henkin Y. *See* Bar-Haim Y
Herbert J. *See* Halligan SL
Heresco-Levy U, Ermilov M, Lichtenberg P, Bar G, Javitt DC. High-dose glycine added to olanzapine and risperidone for the treatment of schizophrenia, 165
Hershey T, Black KJ, Hartlein JM, Barch DM, Braver TS, Carl JL, Perlmutter JS. Cognitive-pharmacological functional magnetic resonance imaging in Tourette syndrome: a pilot study, 916
Herskovits EH. *See* Vasa RA
Hietala J. *See* Bergström M; Tiihonen J
Higley JD. *See* Barr CS
Higuchi S. *See* Miyatake R
Hildesheimer M. *See* Bar-Haim Y
Hirayasu Y. *See* Wiegand LC
Hiroi N. *See* Grande C
Ho B-C, Mola C, Andreasen NC. Cerebellar dysfunction in neuroleptic naive schizophrenia patients: clinical, cognitive, and neuroanatomic correlates of cerebellar neurologic signs, 1146
Hofmann M. *See* Berding G
Holahan JM. *See* Shaywitz BA
Holzman PS. *See* Chen Y
Hopcian J. *See* Sen S
Hopper JW. *See* Sack M
Horiuchi Y, Nakayama J, Ishiguro H, Ohtsuki T, Detera-Wadleigh SD, Toyota T, Yamada K, Nankai M, Shibuya H, Yoshikawa T, Arinami T. Possible association between a haplotype of the GABA-A receptor alpha 1 subunit gene *(GABRA1)* and mood disorders, 40
Houle SY. *See* Ginovart N
Hounie AG. *See* Chacon P
Hranilovic D, Stefulj J, Schwab S, Borrmann-Hassenbach M, Albus M, Jernej B, Wildenauer D. Serotonin transporter promoter and intron 2 polymorphisms: relationship between allelic variants and gene expression, 1090
Hsu E. *See* Taylor WD
Huang JC. *See* Brody AL
Huang Y. *See* Mintun MA
Huff KD. *See* Seager MA
Huffaker SJ. *See* Ryan MM
Hulshoff Pol HE, Brans RGH, van Haren NEM, Schnack HG, Langen M, Baaré WFC, van Oel CJ, Kahn RS. Gray and white matter volume abnormalities in monozygotic and same-gender dizygotic twins discordant for schizophrenia, 126
Huot RL. *See* Ladd CO
Hwang TJ. *See* Chen WJ
Hwu H-G. *See* Chen WJ
Hyman SL. *See* Conciatori M

Iannone VN. *See* Dickinson D
Ichimiya T. *See* Yasuno F
Iida H. *See* Ohnishi T
Ikeda K. *See* Arai M
Ilgin N. *See* Bencherif B
Imabayashi E. *See* Ohnishi T
Inoue K, Zorrilla EP, Tabarin A, Valdez GR, Iwasaki S, Kiriike N, Koob GF. Reduction of anxiety after restricted feeding in the rat: implications for eating disorders, 1075
Ishiguro H. *See* Horiuchi Y
Ishikawa SS. *See* Raine A
Ito M. *See* Suto T
Itokawa M. *See* Arai M
Ivanov D. *See* Kirov G
Iwasaki S. *See* Inoue K

Jacobsen LK, D'Souza C, Mencl WE, Pugh KR, Skudlarski P, Krystal JH. Nicotine effects on brain function and functional connectivity in schizophrenia, 850
Jain S. *See* Verma R
Janssen J. *See* Denys D
Jarvik ME. *See* Brody AL
Jatlow PI. *See* Nelson JC
Javitt DC. *See* Heresco-Levy U
Jernej B. *See* Hranilovic D
Jezzard P. *See* Rogers RD
Joe B. *See* Potenza MN
Johansson C, Willeit M, Aron L, Smedh C, Ekholm J, Paunio T, Kieseppä T, Lichtermann D, Praschak-Rieder N, Neumeister A, Kasper S, Peltonen L, Adolfsson R, Partonen T, Schalling M. Seasonal affective disorder and the G-protein β-3-subunit C825T polymorphism, 317
Johnson KA. *See* Mu Q
Johnstone EC. *See* Harris JM
Johnstone T. *See* Somerville LH
Joksimovic L. *See* Rohleder N
Jolesz FA. *See* Levitt JJ; Wiegand LC
Jollant F. *See* Courtet P
Jones DJ. *See* Bemmansour S
Jones EG. *See* Tomita H
Jonkman LM. *See* Kemner C
Jorge RE, Robinson RG, Tateno A, Narushima K, Acion L, Moser D, Arndt S, Chemerinski E. Repetitive transcranial magnetic stimulation as treatment of poststroke depression: a preliminary study, 398
Jorgensen MJ. *See* Fairbanks LA
Julien P. *See* Frasure-Smith N

Kahn RS. *See* Hulshoff Pol HE
Kaidanovich-Beilin O, Milman A, Weizman A, Pick CG, Eldar-Finkelman H. Rapid antidepressive-like activity of specific glycogen synthase kinase-3 inhibitor and its effect on β-catenin in mouse hippocampus, 781
Kajander J. *See* Tiihonen J
Kalaria RN. *See* Thomas AJ
Kallan MJ. *See* Morrison MF
Kammer T. *See* Plewnia C
Kane JM. *See* Kumra S
Kanes SJ. *See* Gur RE
Kao H-T. *See* Porton B
Kapfhammer H-P. *See* Schelling G
Kaplan G. *See* Young EA
Kaplan JR. *See* Rogers J
Kapur S. *See* Ginovart N
Karry R, Klein E, Shachar DB. Mitochondrial complex I subunits expression is altered in schizophrenia: a postmortem study, 676
Kasper S. *See* Johansson C
Kassir SA. *See* Chamas FM
Katz I. *See* Morrison MF
Kegeles LS. *See* Abi-Dargham A
Kemner C, Jonkman LM, Kenemans JL, Böcker KBE, Verbaten MN, van Engeland H. Sources of auditory selective attention and the effects of methylphenidate in children with attention-deficit/hyperactivity disorder, 776

Kenemans JL. *See* Kemner C
Kennedy JL. *See* Luo X
Keshavan MS. *See* Lacerda ALT
Keski-Rahkonen A. *See* Tiihonen J
Kessler RC. *See* Breslau N
Khan DA. *See* Brown ES
Kiehl KA. *See* Calhoun VD
Kieseppä T. *See* Johansson C
Kikinis R. *See* Levitt JJ; Wiegand LC
Kilger E. *See* Schelling G
Kim H. *See* Somerville LH
Kim MJ. *See* Lyoo IK
Kim S. *See* Narr KL
Kim YK. *See* Bencherif B
Kiriike N. *See* Inoue K
Kirov G. *See* Williams NE
Kirov G, Ivanov D, Williams NM, Preece A, Nikolov I, Milev R, Koleva S, Dimitrova A, Toncheva D, O'Donovan MC, Owen MJ. Strong evidence for association between the dystrobrevin binding protein 1 gene *(DTNBP1)* and schizophrenia in 488 parent-offspring trios from Bulgaria, 971
Kirschbaum C. *See* Rohleder N
Kiyama H. *See* Matsuzaki H
Klein E. *See* Karry R
Klempan TA. *See* Luo X
Knapp WH. *See* Berding G
Knoop BO. *See* Berding G
Knorr BR. *See* Mellman TA
Knuth KH. *See* Raine A
Koenigsberg HW. *See* Abi-Dargham A
Kohler C. *See* Gur RE
Koleva S. *See* Kirov G
Koob GF. *See* Inoue K
Kornhuber J. *See* Lewczuk P
Kosten TR, Tucker K, Gottschalk C, Rinder CS, Rinder HM. Platelet abnormalities associated with cerebral perfusion defects in cocaine dependence, 91
Kozel A. *See* Li X
Kranzler HR. *See* Luo X
Kranzler J. *See* Vaishnavi SN
Krauseneck T. *See* Schelling G
Krishnan KRR. *See* Taylor WD
Krishnan KRR, Taylor WD, McQuoid DR, MacFall JR, Payne ME, Provenzale JM, Steffens DC. Clinical characteristics of magnetic resonance imaging-defined subcortical ischemic depression, 390
Krivogorsky B. *See* Dickerson FB
Krystal JH. *See* Jacobsen LK
Kumar A. *See* Ballmaier M
Kumra S, Ashtari M, McMeniman M, Vogel J, Augustin R, Becker DE, Nakayama E, Gyato K, Kane JM, Lim K, Szeszko P. Reduced frontal white matter integrity in early-onset schizophrenia: a preliminary study, 1138
Kunkel L. *See* Weiss AP
Kupfer DJ. *See* Lacerda ALT
Kwon H. *See* Barnea-Goraly N

LaCasse L. *See* Raine A
Lacerda ALT, Keshavan MS, Hardan AY, Yorbik O, Brambilla P, Sassi RB, Nicoletti M, Mallinger AG, Frank E, Kupfer DJ, Soares JC. Anatomic evaluation of the orbitofrontal cortex in major depressive disorder, 353
Lachman HM. *See* Stopkova P
Ladd CO, Huot RL, Thrivikraman KV, Nemeroff CB, Plotsky PM. Long-term adaptations in glucocorticoid receptor and mineralocorticoid receptor mRNA and negative feedback on the hypothalamo-pituitary-adrenal axis following neonatal maternal separation, 367
Laffargue P. *See* Vaiva G
Lamprecht F. *See* Sack M
Landgraf R. *See* Salomé N
Lane H-Y. *See* Tsai G
Lange N. *See* Tsai G
Lange W. *See* Driessen M
Langen M. *See* Hulshoff Pol HE
Långström B. *See* Bergström M
Laor L. *See* Gilboa A
Lappalainen J. *See* Luo X
Laruelle M. *See* Abi-Dargham A
Lavretsky H. *See* Ballmaier M
Lawrence NS, Williams AM, Surguladze S, Giampietro V, Brammer MJ, Andrew C, Frangou S, Ecker C, Phillips ML. Subcortical and ventral prefrontal cortical neural responses to facial expressions distinguishing patients with bipolar disorder and major depression, 578
Lawrie SM. *See* Harris JM
LeDoux JE. *See* Bughardt NS
Lee GS. *See* Brody AL
Lee M. *See* Grande C
Leibenluft E. *See* Dickstein DP; McClure EB
Leiter JC. *See* Mellman TA
Leland M. *See* Rogers J
Lenane M. *See* Addington AM; Sporn AL
Lencz T. *See* Raine A
Lesch KP. *See* Barr CS
Lespérance F. *See* Frasure-Smith N
Lester H. *See* Gilboa A
Leung LS. *See* Rajakumar N
Levitt JJ. *See* Wiegand LC
Levitt JJ, Westin C-F, Nestor PG, Estepar RSJ, Dickey CC, Voglmaier MM, Seidman LJ, Kikinis R, Jolesz FA, McCarley RW, Shenton ME. Shape of caudate nucleus and its cognitive correlates in neuroleptic-naive schizotypal personality disorder, 177
Levy DL. *See* Chen Y
Lewczuk P, Esselmann H, Groemer TW, Bibl M, Maler JM, Steinacker P, Otto M, Kornhuber J, Wiltfang J. Amyloid β peptides in cerebrospinal fluid as profiled with surface enhanced laser desorption/ionization time-of-flight mass spectroscopy: evidence of novel biomarkers in Alzheimer's disease, 524
Lewis DA. *See* Sweet RA
Lewis MH. *See* Murphy TK
Li J. *See* Tomita H
Li X, Nahas Z, Kozel A, Anderson B, Bohning DE, George MS. Acute left prefrontal transcranial magnetic resonance stimulation in depressed patients is associated with immediately increased activity in prefrontal cortical as well as subcortical regions, 882
Lichtenberg P. *See* Heresco-Levy U
Lichtermann D. *See* Johansson C
Liddle PF. *See* Calhoun VD
Lim K. *See* Kumra S
Lin P-Y, Tsai G. Association between serotonin transporter

gene promoter polymorphism and suicide: results of a meta-analysis, 1023
Lindley SE, Carlson EB, Benoit M. Basal and dexamethasone suppressed salivary cortisol concentrations in a community sample of patients with posttraumatic stress disorder, 940
Lissek S. *See* Baas JM
Liu SK. *See* Chen WJ
Liu SY. *See* Shepard JD
Lochead RA, Parsey RV, Oquendo MA, Mann JJ. Regional brain gray matter volume differences in patients with bipolar disorder as assessed by optimized voxel-based morphometry, 1154
Lomarev M. *See* Mu Q
London ED. *See* Brody AL
Lopes AC. *See* Chacon P
López JF. *See* López-Figueroa AL
López-Figueroa AL, Norton CS, López-Figueroa MO, Armellini-Dodel D, Burke S, Akil H, López JF, Watson SJ. Serotonin 5-HT_{1A}, 5-HT_{1B}, and 5-HT_{2A} receptor mRNA expression in subjects with major depression, bipolar disorder, and schizophrenia, 225
López-Figueroa MO. *See* López-Figueroa AL
Löppönen M. *See* Tiihonen J
Lorensen E. *See* Forman SD
Lotspeich L. *See* Barnea-Goraly N
Louzoun Y. *See* Gilboa A
Lucassen PJ, Fuchs E, Czéh B. Antidepressant treatment with tianeptine reduces apoptosis in the hippocampal dentate gyrus and temporal cortex, 789
Luders E. *See* Narr KL
Luo X. *See* Potenza MN
Luo X, Klempan TA, Lappalainen J, Rosenheck RA, Charney DS, Erdos J, van Kammen DP, Kranzler HR, Kennedy JL, Gelernter J. NOTCH4 gene haplotype is associated with schizophrenia in African Americans, 112
Lyon GR. *See* Shaywitz BA
Lyons J. *See* Dwivedi Y
Lyoo IK, Kim MJ, Stoll AJ, Demopulos CM, Parow AM, Dager SR, Friedman SD, Dunner DL, Renshaw PF. Frontal lobe gray matter density decreases in bipolar I disorder, 648

Ma J. *See* Rajakumar N
MacFall JR. *See* Krishnan KRR; Taylor WD
Mackay C. *See* Rogers RD
MacQueen GM. *See* Young LT
Majumdar AK. *See* Bergström M
Malafosse A. *See* Courtet P
Maler JM. *See* Lewczuk P
Mallinger AG. *See* Lacerda ALT
Mandelkern MA. *See* Brody AL
Mandoki M. *See* Shapira NA
Mann JJ. *See* Chamas FM; Lochead RA; Rogers J
Manuck SB. *See* Rogers J
Maragnoli ME, Fumagalli F, Gennarelli M, Racagni G, Riva MA. Fluoxetine and olanzapine have synergistic effects in the modulation of fibroblast growth factor 2 expression within the brain, 1095
Marangell LB. *See* Perlis RH
Marchione KE. *See* Shaywitz BA
Marcus SC. *See* Prudic J
Margolis BA. *See* Stopkova P
Markowitsch HJ. *See* Driessen M
Martin AB. *See* Grande C
Martin LJ. *See* Rogers J
Martinez D. *See* Abi-Dargham A
Martis B. *See* Rauch SL
Mathews WB. *See* Szabo Z
Matsuda H. *See* Ohnishi T
Matsushita S. *See* Miyatake R
Matsuzaki H, Namikawa K, Kiyama H, Mori N, Sato K. Brain-derived neurotrophic factor reduces neuronal death induced by methamphetamine, 52
Matthews K. *See* Stewart CA
Maughan B. *See* Rowe R
Mawlawi O. *See* Abi-Dargham A
May FS, Chen QC, Gilbertson MW, Shenton ME, Pitman RK. Cavum septum pellucidum in monozygotic twins discordant for combat exposure: relationship to posttraumatic stress disorder, 656
May JC, Delgado MR, Dahl RE, Stenger VA, Ryan ND, Fiez JA, Carter CS. Event-related functional magnetic resonance imaging of reward-related brain circuitry in children and adolescents, 359
Mazure CM. *See* Nelson JC
McCarley RW. *See* Levitt JJ; Wiegand LC
McCaul M. *See* Oswald LM
McCaul ME. *See* Bencherif B
McClure EB. *See* Dickstein DP
McClure EB, Monk CS, Nelson EE, Zarahn E, Leibenluft E, Bilder RM, Charney DS, Ernst M, Pine DS. A developmental examination of gender differences in brain engagement during evaluation of threat, 1047
McCreadie RG. *See* Williams NE
McDougle CJ. *See* Sweeten TL
McEwen BS. *See* Brown ES; Bughardt NS
McGee M. *See* Wynn JK
McMeniman M. *See* Kumra S
McMullin KG. *See* Rauch SL
McQuoid DR. *See* Krishnan KRR
Mehta MS. *See* Dickstein DP
Mellman TA, Knorr BR, Pigeon WR, Leiter JC, Akay M. Heart rate variability during sleep and the early development of posttraumatic stress disorder, 953
Melmed R. *See* Conciatori M
Mencl WE. *See* Jacobsen LK; Shaywitz BA
Menon V. *See* Barnea-Goraly N
Merchant KM. *See* Corrigan MH
Mertens M. *See* Driessen M
Michelon C. *See* Courtet P
Miguel EC. *See* Chacon P
Mikuni M. *See* Suto T
Milev R. *See* Kirov G
Militerni R. *See* Conciatori M
Miller AH. *See* Newport DJ
Miller P. *See* Harris JM
Milman A. *See* Kaidanovich-Beilin O
Mimmack ML, Brooking J, Bahn S. Quantitative polymerase chain reaction: validation of microarray results from postmortem brain studies, 337
Mintun MA, Sheline YI, Moerlein SM, Vlassenko AG, Huang Y, Snyder AZ. Decreased hippocampal 5-HT_{2A} receptor binding in major depressive disorder: in vivo measurement with [^{18}F]altanserin positron emission tomography, 217
Mishara AL, Goldberg TE. A meta-analysis and critical review of the effects of conventional neuroleptic treatment on cognition in schizophrenia: opening a closed book, 1013

Mitropoulou V. *See* Abi-Dargham A
Miyahara S. *See* Perlis RH
Miyake Y. *See* Ohnishi T
Miyatake R, Furukawa A, Matsushita S, Higuchi S, Suwaki H. Functional polymorphisms in the sigma1 receptor gene associated with alcoholism, 85
Modica-Napolitano JS, Renshaw PF. Ethanolamine and phosphoethanolamine inhibit mitochondrial function in vitro: implications for mitochondrial dysfunction hypothesis in depression and bipolar disorder, 273
Moerlein SM. *See* Mintun MA
Moghadam P. *See* Mu Q
Mohapel P. *See* Hellsten J
Mola C. *See* Ho B-C
Moll GH. *See* Heinrich H
Monk CS. *See* McClure EB
Montecchi F. *See* Conciatori M
Monuteaux MC. *See* Biederman J
Moratalla R. *See* Grande C
Mori N. *See* Matsuzaki H
Morilak DA. *See* Bemmansour S
Morrison MF, Kallan MJ, Ten Have T, Katz I, Tweedy K, Battistini M. Lack of efficacy of estradiol for depression in postmenopausal women: a randomized, controlled trial, 406
Moser D. *See* Jorge RE
Mu Q, Bohning DE, Nahas Z, Walker J, Anderson B, Johnson KA, Denslow S, Lomarev M, Moghadam P, Chae J-H, George MS. Acute vagus nerve stimulation using different pulse widths produces varying brain effects, 816
Muchnik C. *See* Bar-Haim Y
Muhonen M. *See* Tiihonen J
Müller-Vahl K. *See* Berding G
Murphy TK. *See* Shapira NA
Murphy TK, Sajiid M, Soto O, Shapira N, Edge P, Yang M, Lewis MH, Goodman WK. Detecting pediatric autoimmune neuropsychiatric disorders associated with streptococcus in children with obsessive-compulsive disorder and tics, 61
Murray L. *See* Halligan SL
Muscarella L. *See* Conciatori M
Myers L. *See* Scheeringa MS
Myers RM. *See* Tomita H
Myles-Worsley M, Ord L, Blailes F, Ngiralmau H, Freedman R. P50 sensory gating in adolescents from a Pacific island isolate with elevated risk for schizophrenia, 663

Nagren K. *See* Tiihonen J
Nahas Z. *See* Li X; Mu Q
Nakayama E. *See* Kumra S
Nakayama J. *See* Horiuchi Y
Namikawa K. *See* Matsuzaki H
Nankai M. *See* Horiuchi Y
Narr KL. *See* Ballmaier M
Narr KL, Bilder RM, Kim S, Thompson PM, Szeszko P, Robinson D, Luders E, Toga AW. Abnormal gyral complexity in first-episode schizophrenia, 859
Narushima K. *See* Jorge RE
Nelson EE. *See* McClure EB
Nelson JC, Mazure CM, Jatlow PI, Bowers MB Jr, Price LH. Combining norepinephrine and serotonin reuptake inhibition mechanisms for treatment of depression: a double-blind, randomized study, 296
Nemeroff CB. *See* Ladd CO; Newport DJ; Vaishnavi SN
Nesse R. *See* Sen S
Nestler EJ. *See* Potenza MN
Nestor PG. *See* Levitt JJ
Neumeister A. *See* Johansson C
Newcomer JW. *See* Bremner JD
Newman TK. *See* Barr CS; Fairbanks LA
Newport DJ, Heim C, Bonsall R, Miller AH, Nemeroff CB. Pituitary-adrenal responses to standard and low-dose dexamethasone suppression tests in adult survivors of child abuse, 10
Ngiralmau H. *See* Myles-Worsley M
Nicoletti M. *See* Lacerda ALT
Nierenberg AA. *See* Perlis RH
Nikolov I. *See* Kirov G
Nimgaonkar V. *See* Williams NE
Nollert G. *See* Schelling G
Nonaka I. *See* Ohnishi T
Norton CS. *See* López-Figueroa AL
Norton N. *See* Williams NE
Novak SP. *See* Breslau N
Nugent M. *See* Baas JM

O'Bara M. *See* Conciatori M
O'Brien JT. *See* Thomas AJ
O'Donnell P. *See* Goto Y
O'Donovan MC. *See* Kirov G; Williams NE
O'Flynn K. *See* Abi-Dargham A
Ogawa M. *See* Ohnishi T
Ogilvie A. *See* Elliott R
Ögren M. *See* Bergström M
Ohnishi T, Hayashi T, Okabe S, Nonaka I, Matusda H, Iida H, Imabayashi E, Watabe H, Miyake Y, Ogawa M, Teramoto N, Ohta Y, Ejima N, Sawada T, Ugawa Y. Endogenous dopamine release induced by repetitive transcranial magnetic stimulation over the primary motor cortex: an [^{11}C]raclopride positron emission tomography study in anesthetized macaque monkeys, 484
Ohta Y. *See* Ohnishi T
Ohtsuki T. *See* Horiuchi Y
Okabe S. *See* Ohnishi T
Okubo Y. *See* Yasuno F
Olfson M. *See* Prudic J
Ophoff RA. *See* Fairbanks LA
Oquendo MA. *See* Lochead RA
Ord L. *See* Myles-Worsley M
Ordoñez AE. *See* Sporn AL
O'Reardon JP, Chopra MP, Bergan A, Gallop R, DeRubeis RJ, Crits-Christoph P. Response to tryptophan depletion in major depression treated with either cognitive therapy or selective serotonin reuptake inhibitor antidepressants, 957
Origoni AE. *See* Dickerson FB
Ortiz O. *See* Grande C
Ostacher M. *See* Perlis RH
Oswald LM, McCaul M, Choi L, Yang X, Wand GS. Catechol-O-methyltransferase polymorphism alters hypothalamic-pituitary-adrenal axis responses to naloxone: a preliminary report, 102
Otto M. *See* Lewczuk P
Overman KM. *See* Tomita H
Owen MJ. *See* Kirov G; Williams NE
Owens MJ. *See* Vaishnavi SN
Owonikoko T. *See* Szabo Z

Paclt I. *See* Stopkova P

Palkovits M. *See* Dwivedi Y
Pandey GN. *See* Dwivedi Y
Papolos DF. *See* Stopkova P
Pardon M-C. *See* Bemmansour S
Paré D. *See* Pelletier JG
Parker C. *See* Barr CS
Parow AM. *See* Lyoo IK
Parsey RV. *See* Lochead RA
Partonen T. *See* Johansson C
Pascucci T. *See* Conciatori M
Patel PD, Pontrello C, Burke S. Robust and tissue-specific expression of TPH2 versus TPH1 in rat raphe and pineal gland, 428
Paulus MP, Feinstein JS, Simmons A, Stein MB. Anterior cingulate activation in high trait anxious subjects is related to altered error processing during decision making, 1179
Paunio T. *See* Johansson C
Payne ME. *See* Krishnan KRR
Pearlson GD. *See* Calhoun VD
Pelletier JG, Paré D. Role of amygdala oscillations in the consolidation of memotional memories, 559
Peltonen L. *See* Johansson C
Peretto P. *See* Roceri M
Perlis RH, Miyahara S, Marangell LB, Wisniewski SR, Ostacher M, DelBello MP, Bowden CL, Sachs GS, Nierenberg AA. Long-term implications of early onset in bipolar disorder: data from the first 1000 participants in the Systemic Treatment Enhancement Program for Bipolar Disorder (STEP-BD), 875
Perlmutter JS. *See* Hershey T
Persico AM. *See* Conciatori M
Pessina C. *See* Roceri M
Petrie RXA. *See* Stewart CA
Petronis A. The origin of schizophrenia: genetic thesis, epigenetic antithesis, and resolving synthesis, 965
Petty KJ. *See* Bergström M
Peyrot M. *See* Szabo Z
Phebus LA. *See* Seager MA
Phillips ML. *See* Lawrence NS
Pick CG. *See* Kaidanovich-Beilin O
Picot M-C. *See* Courtet P
Piefke M. *See* Driessen M
Pierri JN. *See* Sweet RA
Pigeon WR. *See* Mellman TA
Pine DS. *See* Baas JM; Dickstein DP; McClure EB
Pipe R. *See* Hadjulis M
Pisarov LA. *See* Forman SD
Pitman RK. *See* May FS
Plewnia C, Kammer T, Gerloff C. Comment on "Neuronavigated Repetitive Transcranial Magnetic Stimulation in Patients with Tinnitus: A Short Case Series," 1117
Plotsky PM. *See* Ladd CO
Plott SJ. *See* Vaishnavi SN
Poldrack R. *See* Thermenos HW
Pontrello C. *See* Patel PD
Porton B, Ferreira A, DeLisi LE, Kao H-T. A rare polymorphism affects a mitogen-activated protein kinase site in synapsin III: possible relationship to schizophrenia, 118
Posey DJ. *See* Sweeten TL
Potenza MN, Brodkin ES, Joe B, Luo X, Remmers EF, Wilder RL, Nestler EJ, Gelernter J. Genomic regions controlling corticosterone levels in rats, 634
Praschak-Rieder N. *See* Johansson C
Preece A. *See* Kirov G; Williams NE
Price JL. *See* Hamidi M
Price LH. *See* Nelson JC
Provenzale JM. *See* Krishnan KRR
Prudic J, Olfson M, Marcus SC, Fuller RB, Sackeim HA. Effectiveness of electroconvulsive therapy in community settings, 301
Pugh KR. *See* Jacobsen LK; Shaywitz BA
Puglisi-Allegra S. *See* Conciatori M
Putnam F. *See* Scheeringa MS

Quattrone A. *See* Conciatori M

Rabinowitz D. *See* Conciatori M
Racagni G. *See* Maragnoli ME; Roceri M
Raine A, Ishikawa SS, Arce E, Lencz T, Knuth KH, Bihrle S, LaCasse L, Colletti P. Hippocampal structural asymmetry in unsuccessful psychopaths, 185
Rajakumar B. *See* Rajakumar N
Rajakumar N, Leung LS, Ma J, Rajakumar B, Rushlow W. Altered neurotrophin receptor function in the developing prefrontal cortex leads to adult-onset dopaminergic hyperresponsivity and impaired prepulse inhibition of acoustic startle, 797
Ramirez SM. *See* Bardi M
Rammani N. *See* Rogers RD
Rao SG. *See* Vaishnavi SN
Rapoport JL. *See* Addington AM; Sporn AL
Rascle C. *See* Vaiva G
Rasmussen K. *See* Seager MA
Rau H. *See* Driessen M
Rauch SL, Wright CI, Martis B, Busa E, McMullin KG, Shin LM, Dale AM, Fischl B. A magnetic resonance imaging study of cortical thickness in animal phobia, 946
Ravert HT. *See* Szabo Z
Reddemann L. *See* Driessen M
Redei EE. *See* Ahmadiyeh N
Reichelt K-L. *See* Conciatori M
Reid IC. *See* Stewart CA
Reines SA. *See* Bergström M
Reiss AL. *See* Barnea-Goraly N
Remmers EF. *See* Potenza MN
Renshaw PF. *See* Lyoo IK; Modica-Napolitano JS
Riddle MA. *See* Vasa RA
Rinder CS. *See* Kosten TR
Rinder HM. *See* Kosten TR
Rissanen A. *See* Tiihonen J
Riva MA. *See* Maragnoli ME; Roceri M
Rizavi HS. *See* Dwivedi Y
Robbins TW. *See* Turner DC
Roberts RC. *See* Dwivedi Y
Robinson D. *See* Narr KL
Robinson RG. *See* Jorge RE
Roceri M, Cirulli F, Pessina C, Peretto P, Racagni G, Riva MA. Postnatal repeated maternal deprivation produces age-dependent changes of brain-derived neurotrophic factor expression in selected rat brain regions, 708
Rodier PM. *See* Conciatori M
Rogers J, Martin LJ, Comuzzie AG, Mann JJ, Manuck SB, Leland M, Kaplan JR. Genetics of monoamine metabolites in baboons: overlapping sets of genes influence levels of

5-hydroxyindolacetic acid, 3-hydroxy-4-methoxyphenylglycol, and homovanillic acid, 739
Rogers RD, Rammani N, Mackay C, Wilson JL, Jezzard P, Carter CS, Smith SM. Distinct portions of anterior cingulate cortex and medial prefrontal cortex are activated by reward processing in separable phases of decision-making cognition, 594
Rohleder N, Joksimovic L, Wolf JM, Kirschbaum C. Hypocortisolism and increased glucocorticoid sensitivity of pro-inflammatory cytokine production in Bosian war refugees and posttraumatic stress disorder, 745
Roozendaal B. *See* Schelling G
Rosario-Campos MC. *See* Chacon P
Rosenheck RA. *See* Luo X
Rothenberger A. *See* Heinrich H
Rothenhäusler H-B. *See* Schelling G
Rowe R, Maughan B, Worthman CM, Costello EJ, Angold A. Testosterone, antisocial behavior, and social dominance in boys: pubertal development and biosocial interaction, 546
Rubinsztein JS. *See* Elliott R
Rullkoetter N. *See* Driessen M
Rush AJ. *See* Brown ES
Rushlow W. *See* Rajakumar N
Ryan MM, Huffaker SJ, Webster MJ, Wayland M, Freeman T, Bahn S. Application and optimization of microarray technologies for human postmortem brain studies, 329
Ryan ND. *See* May JC

Sabban EL. *See* Chamas FM
Sachs GS. *See* Perlis RH
Sack M, Hopper JW, Lamprecht F. Low respiratory sinus arrhythmia and prolonged psychophysiological arousal in posttraumatic stress disorder: heart rate dynamics and individual differences in arousal regulation, 284
Sackeim HA. *See* Prudic J
Sahakian BJ. *See* Elliott R; Turner DC
Saito T. *See* Stopkova P
Sajiid M. *See* Murphy TK
Salchner P. *See* Salomé N
Saleem Q. *See* Verma R
Salisbury DF. *See* Wiegand LC
Salomé N, Salchner P, Viltart O, Sequeira H, Wigger A, Landgraf R, Singewald N. Neurobiological correlates of high (HAB) versus low anxiety-related behavior (LAB): differential Fos expression in HAB and LAB rats, 715
Salorio C. *See* Vasa RA
Salveson D. *See* Wynn JK
Sampson AR. *See* Sweet RA
Sanchez TA. *See* Bemmansour S
Sarosi A. *See* Dwivedi Y
Sassi RB. *See* Lacerda ALT
Sato K. *See* Matsuzaki H
Sawada T. *See* Ohnishi T
Schalling M. *See* Johansson C
Scheeringa MS, Zeanah CH, Myers L, Putnam F. Heart period and variability findings in preschool children with posttraumatic stress symptoms, 685
Scheinin M. *See* Bergström M
Schell AM. *See* Wynn JK
Schelling G, Kilger E, Roozendaal B, de Quervain D J-F, Briegel J, Dagge A, Rothenhäusler H-B, Krauseneck T, Nollert G, Kapfhammer H-P. Stress doses of hydrocortisone, traumatic memories, and symptoms of posttraumatic stress disorder in patients after cardiac surgery: a randomized study, 627
Schmahl C. *See* Bremner JD
Schmahl CG, Vermetten E, Elzinga BM, Bremner JD. Positron emission tomography study of memories of childhood abuse in borderline personality disorder, 759
Schnack HG. *See* Hulshoff Pol HE
Schneider C. *See* Conciatori M
Schneider U. *See* Berding G
Schwab S. *See* Hranilovic D
Schwandt M. *See* Barr CS
Sciberras D. *See* Bergström M
Seager MA, Huff KD, Barth VN, Phebus LA, Rasmussen K. Fluoxetine administration potentiates the effect of olanzapine on locus coeruleus neuronal activity, 1103
Seidman LJ. *See* Levitt JJ; Thermenos HW
Sen S, Villafuerte S, Nesse R, Stoltenberg SF, Hopcian J, Gleiberman L, Weder A, Burmeister M. Serotonin transporter and GABA(A) alpha 6 receptor variants are associated with neuroticism, 244
Sequeira H. *See* Salomé N
Serova L. *See* Chamas FM
Seu E. *See* Dazzi L
Shachar DB. *See* Karry R
Shaham Y. *See* Shepard JD
Shalev AY. *See* Gilboa A
Shankar S. *See* Sweeten TL
Shannon C. *See* Barr CS
Shapira N. *See* Murphy TK
Shapira NA, Ward HE, Mandoki M, Murphy TK, Yang MCK, Blier P, Goodman WK. A double-blind, placebo-controlled trial of olanzapine addition in fluoxetine-refractory obsessive-compulsive disorder, 553
Sharkey V. *See* Williams NE
Sharp WS. *See* Sporn AL
Shaywitz BA, Shaywtiz SE, Blachman BA, Pugh KR, Fulbright RK, Skudlarski P, Mencl WE, Constable RT, Holahan JM, Marchione KE, Fletcher JM, Lyon GR, Gore JC. Development of left occipitotemporal systems for skilled reading in children after a phonologically-based intervention, 926
Shaywtiz SE. *See* Shaywitz BA
Sheline YI. *See* Mintun MA
Shenton ME. *See* Levitt JJ; May FS; Wiegand LC
Shepard JD, Bossert JM, Liu SY, Shaham Y. The anxiogenic drug yohimbine reinstates methamphetamine seeking in a rat model of drug relapse, 1082
Sheremata S. *See* Chen Y
Shibuya H. *See* Horiuchi Y
Shin LM. *See* Rauch SL
Shoemaker JM. *See* Swerdlow NR
Shukla PK. *See* Dwivedi Y
Shults J. *See* Brewer-Smyth K
Siegel SJ. *See* Gur RE
Siegle GJ. *See* Forman SD
Siever LJ. *See* Abi-Dargham A
Silva-Saavedra A. *See* Driessen M
Simmons A. *See* Paulus MP
Singewald N. *See* Salomé N
Skudlarski P. *See* Jacobsen LK; Shaywitz BA
Slomine B. *See* Vasa RA
Slone-Wilcoxon JL. *See* Ahmadiyeh N

Smith EC. *See* Brody AL
Smith SM. *See* Rogers RD
Snow J. *See* Dickstein DP
Snyder AZ. *See* Mintun MA
Soares JC. *See* Lacerda ALT
Solin O. *See* Bergström M
Somerville LH, Kim H, Johnstone T, Alexander AL, Whalen PJ. Human amygdala responses during presentation of happy and neutral faces: correlations with state anxiety, 897
Sora I. *See* Arai M
Soto O. *See* Murphy TK
Sowell ER. *See* Ballmaier M
Spence SJ. *See* Conciatori M
Sporn AL. *See* Addington AM
Sporn AL, Addington AM, Gogtay N, Ordoñez AE, Gornick M, Clasen L, Greenstein D, Tossel JW, Gochman P, Lenane M, Sharp WS, Straub RE, Rapoport JL. Pervasive developmental disorder and childhood-onset schizophrenia: comorbid disorder or a phenotypic variant of a very early onset illness?, 989
Spurlock G. *See* Williams NE
Stallings C. *See* Dickerson FB
Steffens DC. *See* Krishnan KRR
Stefulj J. *See* Hranilovic D
Stein MB. *See* Paulus MP
Steinacker P. *See* Lewczuk P
Stenger VA. *See* Forman SD; May JC
Stewart CA, Petrie RXA, Balfour DJK, Matthews K, Reid IC. Enhanced evoked responses after early adversity and repeated platform exposure: the neurobiology of vulnerability?, 868
Stodgell CJ. *See* Conciatori M
Stoll AJ. *See* Lyoo IK
Stoltenberg SF. *See* Sen S
Stopkova P, Saito T, Papolos DF, Vevera J, Paclt I, Zukov I, Bersson YB, Margolis BA, Strous RD, Lachman HM. Identification of *PIK3C3* promoter variant associated with bipolar disorder and schizophrenia, 981
Straub RE. *See* Addington AM; Sporn AL
Strous RD. *See* Stopkova P
Stuhrmann M. *See* Berding G
Suhara T. *See* Yasuno F
Sullivan GM. *See* Bughardt NS
Sun Z. *See* Sweet RA
Suomi SJ. *See* Barr CS
Surguladze S. *See* Lawrence NS
Suto T, Fukuda M, Ito M, Uehara T, Mikuni M. Multichannel near-infrared spectroscopy in depression and schizophrenia: cognitive brain activation study, 501
Suwaki H. *See* Miyatake R
Sweet RA, Bergen SE, Sun Z, Sampson AR, Pierri JN, Lewis DA. Pyramidal cell size reduction in schizophrenia: evidence for involvement of auditory feedforward circuits, 1128
Sweeten TL, Posey DJ, Shankar S, McDougle CJ. High nitric oxide production in autistic disorder: a possible role for interferon-γ, 434
Swerdlow NR, Talledo J, Shoemaker JM, Codon K, Goins J, Auerbach PP. Weak prepulses inhibit but do not elicit startle in rats and humans, 1195
Szabo ST, Gold MS, Goldberger BA, Blier P. Effects of sustained gamma-hydroxybutyrate treatments on spontaneous and evoked firing activity of locus coeruleus norepinephrine neurons, 934
Szabo Z, Owonikoko T, Peyrot M, Varga J, Mathews WB, Ravert HT, Dannals RF, Wand G. Positron emission tomography imaging of the serotonin transporter in subjects with a history of alcoholism, 766
Szeszko P. *See* Kumra S; Narr KL

Tabarin A. *See* Inoue K
Takahashi JS. *See* Ahmadiyeh N
Takano A. *See* Yasuno F
Talledo J. *See* Swerdlow NR
Tamminga CA. *See* Dwivedi Y
Tatarelli R. *See* De Murtas M
Tateno A. *See* Jorge RE
Taylor WD. *See* Krishnan KRR
Taylor WD, Hsu E, Krishnan KRR, MacFall JR. Diffusion tensor imaging: background, potential, and utility in psychiatric research, 201
Ten Have T. *See* Morrison MF
Teramoto N. *See* Ohnishi T
Tetin-Schneider S. *See* Bar-Haim Y
Thermenos HW, Seidman LJ, Breiter H, Goldstein JM, Goodman JM, Poldrack R, Faraone SV, Tsuang MT. Functional magnetic resonance imaging during auditory verbal working memory in nonpsychotic relatives of persons with schizophrenia: a pilot study, 490
Thomas AJ, Davis S, Ferrier IN, Kalaria RN, O'Brien JT. Elevation of cell adhesion molecule immunoreactivity in the anterior cingulate cortex in bipolar disorder, 652
Thomas LA, De Bellis MD. Pituitary volumes in pediatric maltreatment-related posttraumatic stress disorder, 752
Thomas P. *See* Vaiva G
Thompson PM. *See* Ballmaier M; Narr KL
Thompson RE. *See* Vasa RA
Thrivikraman KV. *See* Ladd CO
Tiihonen J, Keski-Rahkonen A, Löppönen M, Muhonen M, Kajander J, Allonen T, Nagren K, Hietala J, Rissanen A. Brain serotonin 1A receptor binding in bulimia nervosa, 871
TingströM A. *See* Wennström M
Tingström A. *See* Hellsten J
Tischler L. *See* Yehuda R
Toga AW. *See* Ballmaier M; Narr KL
Tolman R. *See* Young EA
Tomita H, Vawter MP, Walsh DM, Evans SJ, Choudary PV, Li J, Overman KM, Atz ME, Myers RM, Jones EG, Watson SJ, Akil H, Bunney WE Jr. Effect of agonal and postmortem factors on gene expression profile: quality control in microarray analyses of postmortem human brain, 346
Toncheva D. *See* Kirov G
Torres S. *See* Courtet P
Tossel JW. *See* Sporn AL
Towbin KE. *See* Dickstein DP
Toyota T. *See* Arai M; Horiuchi Y
Treland JE. *See* Dickstein DP
Trillo S. *See* Conciatori M
Tsai G. *See* Lin P-Y
Tsai G, Lane H-Y, Yang P, Chong M-Y, Lange N. Glycine transporter I inhibitor, N-methylglycine (sarcosine), added to antipsychotics for the treatment of schizophrenia, 452
Tsuang MT. *See* Thermenos HW
Tucker K. *See* Kosten TR
Turetsky BI. *See* Gur RE
Turner DC, Clark L, Dowson J, Robbins TW, Sahakian BJ.

Modafinil improves cognition and response inhibition in adult attention-deficit/hyperactivity disorder, 1031
Tweedy K. *See* Morrison MF

Uehara T. *See* Suto T
Ugawa Y. *See* Ohnishi T
Ujike H. *See* Arai M
Underwood MD. *See* Chamas FM

Vaishnavi SN, Nemeroff CB, Plott SJ, Rao SG, Kranzler J, Owens MJ. Milnacipran: a comparative analysis of human monoamine uptake and transporter binding affinity, 320
Vaiva G, Thomas P, Ducrocq F, Fontaine M, Boss V, Devos P, Rascle C, Cottencin O, Brunet A, Laffargue P, Goudemand M. Low posttrauma GABA plasma levels as a predictive factor in the development of acute posttraumatic stress disorder, 250
Vakkalanka RK. *See* Addington AM
Valdez GR. *See* Inoue K
van Den Kroonenburg PTJM. *See* Ellenbroek BA
van der Wee N. *See* Denys D
van Engeland H. *See* Kemner C
van Haren NEM. *See* Hulshoff Pol HE
Van Heertum R. *See* Abi-Dargham A
van Kammen DP. *See* Luo X
van Luijtellar ELJM. *See* Ellenbroek BA
van Oel CJ. *See* Hulshoff Pol HE
Varga J. *See* Szabo Z
Varghese FP. *See* Brown ES
Vasa RA, Grados M, Slomine B, Herskovits EH, Thompson RE, Salorio C, Christensen J, Wursta C, Riddle MA, Gerring JP. Neuroimaging correlates of anxiety after pediatric traumatic brain injury, 208
Vawter MP. *See* Tomita H
Verbaten MN. *See* Kemner C
Verma R, Chauhan C, Saleem Q, Gandhi C, Jain S, Brahmachari SK. A nonsense mutation in the *Synaptogyrin 1* gene in a family with schizophrenia, 196
Vermetten E. *See* Bremner JD; Schmahl CG
Vevera J. *See* Stopkova P
Vicini S. *See* De Murtas M
Villafuerte S. *See* Sen S
Viltart O. *See* Salomé N
Vlassenko AG. *See* Mintun MA
Vogel J. *See* Kumra S
Voglmaier MM. *See* Levitt JJ
Vythilingam M. *See* Bremner JD

Walker J. *See* Mu Q
Walsh DM. *See* Tomita H
Wand G. *See* Szabo Z
Wand GS. *See* Bencherif B; Oswald LM
Wang J-F. *See* Young LT
Ward HE. *See* Shapira NA
Warfield SK. *See* Wiegand LC
Watabe H. *See* Ohnishi T
Watson SJ. *See* López-Figueroa AL; Tomita H
Wayland M. *See* Ryan MM
Webster MJ. *See* Ryan MM
Weder A. *See* Sen S
Weinberger DR. *See* Addington AM
Weiss AP, Zalesak M, DeWitt I, Goff D, Kunkel L, Heckers S. Impaired hippocampal function during the detection of novel words in schizophrenia, 668
Weizman A. *See* Kaidanovich-Beilin O
Welcome SE. *See* Ballmaier M
Wennström M. *See* Hellsten J
Wennström M, Hellsten J, Tingström A. Electroconvulsive seizures induce proliferation of NG2-expressing glial cells in adult rat amygdala, 464
Westenberg HGM. *See* Denys D
Westin C-F. *See* Levitt JJ
Whalen PJ. *See* Somerville LH
Wick-Hull C. *See* Forman SD
Wiegand LC, Warfield SK, Levitt JJ, Hirayasu Y, Salisbury DF, Heckers S, Dickey CC, Kikinis R, Jolesz FA, McCarley RW, Shenton ME. Prefrontal cortical thickness in first-episode psychosis: a magnetic resonance imaging study, 131
Wigger A. *See* Salomé N
Wildenauer D. *See* Hranilovic D
Wilder RL. *See* Potenza MN
Wilk CM. *See* Dickinson D
Willeit M. *See* Johansson C
Williams AM. *See* Lawrence NS
Williams HJ. *See* Williams NE
Williams NE, Preece A, Spurlock G, Norton N, Williams HJ, McCreadie RG, Buckland P, Sharkey V, Chowdari KV, Zammit S, Nimgaonkar V, Kirov G, Owen MJ, O'Donovan MC. Support for RGS4 as a susceptibility gene for schizophrenia, 192
Williams NM. *See* Kirov G
Wilson AA. *See* Ginovart N
Wilson JL. *See* Rogers RD
Wiltfang J. *See* Lewczuk P
Wisniewski SR. *See* Perlis RH
Witkowski K. *See* Young EA
Woermann FG. *See* Driessen M
Wolf JM. *See* Rohleder N
Woolston EJ. *See* Brown ES
Worthman CM. *See* Rowe R
Wright CI. *See* Rauch SL
Wulff H. *See* Driessen M
Wursta C. *See* Vasa RA
Wynn JK, Dawson ME, Schell AM, McGee M, Salveson D, Green MF. Prepulse facilitation and prepulse inhibition in schizophrenia patients and their unaffected siblings, 518

Yamada K. *See* Arai M; Horiuchi Y
Yang M. *See* Murphy TK
Yang MCK. *See* Shapira NA
Yang P. *See* Tsai G
Yang R-K. *See* Yehuda R
Yang X. *See* Oswald LM
Yasuno F, Suhara T, Ichimiya T, Takano A, Ando T, Okubo Y. Decreased 5-HT1A receptor binding in amygdala in schizophrenia, 439
Yates S. *See* Harris JM
Yehuda R, Golier JA, Halligan SL, Harvey PD. Learning and memory in Holocaust survivors with posttraumatic stress disorder, 291
Yehuda R, Golier JA, Yang R-K, Tischler L. Enhanced sensitivity to glucocorticoids in peripheral mononuclear leukocytes in posttraumatic stress disorder, 1110
Yolken RH. *See* Dickerson FB
Yorbik O. *See* Lacerda ALT

Yoshikawa T. *See* Arai M; Horiuchi Y
Young EA, Tolman R, Witkowski K, Kaplan G. Salivary cortisol and posttraumatic stress disorder in a low-income community sample of women, 621
Young LT, Bezchlibnyk YB, Chen B, Wang J-F, MacQueen GM. Amygdala cyclic adenosine monophosphate response element binding protein phosphorylation in patients with mood disorders: effects of diagnosis, suicide, and drug treatment, 570
Zalesak M. *See* Weiss AP
Zammit S. *See* Williams NE
Zarahn E. *See* McClure EB
Zeanah CH. *See* Scheeringa MS
Zea-Ponce Y. *See* Abi-Dargham A
Zelante L. *See* Conciatori M
Zhu H. *See* Grande C
Zorrilla EP. *See* Inoue K
Zukov I. *See* Stopkova P

SUBJECT INDEX TO VOLUME 55

Abuse-related posttraumatic stress disorder
  anterior cingulate dysfunction in, 612
  in women, 612
Acoustic startle reflex
  p75 neurotrophin receptor function alterations effect on, 797
  prepulse inhibition and, 98, 1195
Acute coronary syndrome
  major depressive disorder in, 891
Addiction
  anterior cingulate error-dependent activation lacking in, 531
Adolescents
  antisocial behavior in, 546
  maternal depression effects on cortisol levels in, 376
  P50 sensory gating in, 663
  reward-related brain circuitry in, 359
  social dominance in, 546
  social impulsivity in, 642
  testosterone in, 546
African Americans
  schizophrenia in, 112
Aggressiveness, 642
Agonal factors
  gene expression profiles in microarrays affected by, 346
Alcohol craving
  mu-opioid receptor binding and, 255
Alcoholism
  mu-opioid receptor binding in, 255
  serotonin transporter in, positron emission tomography of, 766
  sigma1 receptor gene polymorphisms associated with, 85
Alzheimer's disease
  amyloid β peptides in cerebrospinal fluid, 524
  biomarkers in, 524
γ-Aminobutyric acid
  GABRA1 gene, 40
  posttrauma plasma levels of, 250
Amphetamine. *See also* Methamphetamine
  dopamine release induced by, in schizotypal personality disorder, 1001
  dopaminergic D2 receptor changes induced by, 1188
Amygdala
  facial expression-based responses of, 897
  glial cells
    in major depressive disorder, 563
    NG2-expressing, induced by electroconvulsive seizures, 464
  memory consolidation facilitated by, 559
  orbitofrontal to amygdala volume, in schizophrenia, 512
  in posttraumatic stress disorder, 253
  in schizophrenia, 439
Amyloid β peptides
  in cerebrospinal fluid of Alzheimer's disease patients, 524
Animal models
  aggressiveness studies in, 642
  amphetamine pretreatment effects on dopaminergic D2 receptor, 1188
  anxiety, 715
  cingulate cortex thickness in specific phobia, 946
  electroconvulsive seizure-induced proliferation of NG2-expressing glial cells, 464
  endocrine system's role in maternal behavior, 724
  genomic regions that control corticosterone levels, 634
  hippocampal endothelial cell activation induced by electroconvulsive seizures, 420
  limbic-hypothalamic-pituitary-adrenal axis response to stress, 733
  maternal behavior effects on X-linked inheritance of behavioral coping, 1069
  maternal deprivation effects on auditory information processing, 701
  monoamine metabolites, 739
  neurobiological correlates of anxiety, 715
  prepulse inhibition effects on acoustic startle, 1195
  repetitive transcranial magnetic stimulation effects on dopamine release, 484
  of schizophrenia, 172
  social impulsivity studies in, 642
  striosomal FosB/ΔFosB expression induced by atypical neuroleptics, 457
  TPH1 and TPH2 expression, 428
  transgenic, neuronal function in, 785
Anterior cingulate
  activation of, in high trait anxiety, 1179
  cell adhesion molecule immunoreactivity in, in bipolar disorder, 652
  dysfunction of, in abuse-related posttraumatic stress disorder, 612
  error-dependent activation of, in addiction, 531
  reward processing activation of, 594
Antidepressants
  glycogen synthase kinase-3 inhibitors as, 781
  norepinephrine transporter regulated by, 313
  tianeptine, 789, 1171
Antipsychotics
  cognitive effects of, 1013
  fluoxetine and, for obsessive-compulsive disorder, 553
  sarcosine and, for schizophrenia, 452
Antisocial behavior
  testosterone and, 546
Anxiety
  context conditioning for, 1056
  in eating disorders, restricted feeding effects on, 1075
  neurobiological correlates of, in rats, 715
  neuroimaging correlates of, 208
  pediatric traumatic brain injury and, 208
  in schizophrenia, 439
  state, 897
  trait, 715, 1179
  virtual reality for, 1056
Apoptosis
  tianeptine effects on, 789
Aprepitant, 1007
Arousal
  in posttraumatic stress disorder, 284
Attention
  selective, in attention-deficit hyperactivity disorder, 776
  sustained, in schizophrenia, 995
Attention-deficit hyperactivity disorder
  in adults, 692, 1031
  auditory selective attention in, 776
  gender effects, 692
  methylphenidate for, 776
  modafinil effects on cognition in, 1031

0006-3223/04/$30.00
doi:10.1016/S0006-3223(04)00549-9

BIOL PSYCHIATRY 2004;55:1220–1227

© 2004 Society of Biological Psychiatry

slow cortical potentials in, 772
Atypical neuroleptics
striosomal FosB/ΔFosB expression induced by, 457
Auditory cortex
in schizophrenia, 1128
synchronous hemodynamic activity in, 842
Auditory processing
in childhood selective mutism, 1061
maternal deprivation effects on, in rats, 701
Auditory selective attention
in attention-deficit hyperactivity disorder, 776
Auditory verbal working memory
in nonpsychotic relatives of persons with schizophrenia, 490
Autism
HOXA1 A218G polymorphism and head circumference increases in, 413
nitric oxide production in, 434
white matter structure in, 323

Behavioral coping
maternal behavior effects on, 1069
Bipolar disorder. *See also* Mania
age of onset, 875
anterior cingulate in, cell adhesion molecule immunoreactivity in, 652
in children
neuropsychological performance effects, 32
early onset in, 875
GABRA1 gene in, 40
gray matter density changes in, 648, 1154
herpes simplex virus type 1 associated with cognitive deficits in, 588
major depression vs., 578
mitochondrial dysfunction in, 273
neural cell adhesion molecule 1 gene polymorphisms and, 804
PIK3C3 promoter variant and, 981
serotonin 5-HT_{1A} receptors in, 225
serotonin 5-HT_{1B} receptors in, 225
subcortical and ventral prefrontal cortical neural responses to facial expressions in, 578
Borderline personality disorder
child abuse-related, 759
traumatic memory in, 603
Brain
nicotine effects on, in schizophrenia, 850
postmortem
agonal factors effect on RNA integrity in, 346
microarray studies of, 329, 337, 346
quantitative polymerase chain reaction studies of, 337
smoking effects on, 77
vagus nerve stimulation effects on, 816
Brain mapping
in elderly depression, 382
Brain-derived neurotrophic factor
maternal deprivation effects on, 708
methamphetamine-induced neuronal death blocked by, 52
Bulimia nervosa
serotonin 1A receptor binding in, 871

California Verbal Learning Test, 291
Cambridge Neuropsychological Test Automated Battery, 32
Cannabinoid CB1 receptor, 904
Cardiac surgery
posttraumatic stress disorder after, 627
stress-induced hydrocortisone doses in, 627
traumatic memories after, 627
Catechol-O-methyltransferase
polymorphisms, hypothalamic-pituitary-adrenal axis responses affected by, 102
β-Catenin
glycogen synthase kinase-3 inhibitors effect on, 781
Caudate nucleus
in schizotypal personality disorder, 177
Cavum septum pellucidum
posttraumatic stress disorder and, 656
Cell adhesion molecule
immunoreactivity of, in anterior cingulate in bipolar disorder, 652
Cerebellar dysfunction
in schizophrenia, 1146
Cerebral blood flow, regional
cocaine dependence effects on, 91
platelet abnormalities and, 91
Cerebral volume
asymmetries, in early onset schizophrenia, 148
Cerebrospinal fluid
amyloid β peptides in, of Alzheimer's disease patients, 524
Child abuse
borderline personality disorder secondary to, 759
dexamethasone suppression tests in survivors of, 10
memories of, positron emission tomography study of, 759
posttraumatic stress disorder secondary to, 752
violent criminal behavior and, 21
Childhood-onset schizophrenia
G72/G30 polymorphisms and, 976
pervasive developmental disorder and, 989
Children
attention-deficit hyperactivity disorder in, 776
bipolar disorder in
neuropsychological performance in, 32
maternal depression effects on cortisol levels in, 376
obsessive-compulsive disorder in
streptococcus and, 61
posttraumatic stress disorder in, 752
posttraumatic stress symptoms in, 685
reading in, occipitotemporal systems' role in, 926
reward-related brain circuitry in, 359
selective mutism in, 1061
traumatic brain injury in, anxiety after, 208
Cingulate cortex
thickness of, in specific phobia, 946
Citalopram, 1171
Cocaine dependence
cerebral perfusion defects in, platelet abnormalities associated with, 91
regional cerebral blood flow effects, 91
Cognition
corticosteroid therapy effects on, 538
decision-making, anterior cingulate and medial prefrontal cortex activation by, 594
herpes simplex virus type 1 effects on, in bipolar disorder, 588
modafinil effects on, in attention-deficit/hypersensitivity disorder, 1031

Cognitive deficits
in schizophrenia, 826
Community settings
electroconvulsive therapy in, 301
Comorbidities
childhood-onset schizophrenia and pervasive developmental disorder, 989
obsessive-compulsive disorder, 960
Context conditioning, 1056
Coping, behavioral
maternal behavior effects on, 1069
Corticosteroids
hippocampal volume affected by, 538
Corticosterone
genomic regions that control levels of, 634
Corticotrophin-releasing hormone
posttraumatic stress disorder and, 752
Cortisol
after cardiac surgery, 627
in child abuse survivors, 10
in depression patients, 1
dexamethasone inhibition of, 940
maternal depression effects on, 376
posttraumatic stress disorder and, 621, 940
stress-induced doses of, 627
violent behavior and, 21
Cyclic adenosine monophosphate response element binding protein
in mood disorders, 570
suicide and, 570
Cytokines
in posttraumatic stress disorder, 745

Decision making
altered error processing during, in high trait anxiety, 1179
cognition, anterior cingulate and medial prefrontal cortex activation by, 594
Declarative memory
glucocorticoids effect on, in major depression, 811
Dendritic spines, 1121
Dentate gyrus
tianeptine effects on apoptosis in, 789
Depression. *See also* Major depressive disorder
cognitive therapy for, 957
cortisol elevations in, 1
elderly
brain size mapping in, 382
cortical gray matter changes in, 382
magnetic resonance imaging of, 390
hemoglobin concentrations in, 501
ischemic, 390
long-term, electroconvulsive therapy effects on, 472
magnetic resonance imaging of, 390
maternal, 376
medical illness and, 1
mitochondrial dysfunction in, 273
mu-opioid receptor binding and, 255
near-infrared spectroscopy of, 501
norepinephrine and serotonin reuptake inhibition for, 296
in postmenopausal women, 406
poststroke, 398
protein kinase A levels in, 234
in schizophrenia, 439
selective serotonin reuptake inhibitors for, 957
serotonin 5-HT_{1A} receptors in, 225
serotonin 5-HT_{2A} receptors in, 217, 225
serotonin 5-HT_{1B} receptors in, 225
transcranial magnetic stimulation in, 882
tryptophan depletion in, 957
Dexamethasone
cortisol inhibition by, in posttraumatic stress disorder, 940
Dexamethasone suppression tests
in child abuse survivors, 10
pituitary-adrenal responses to, in child abuse survivors, 10
Diffusion tensor imaging
description of, 201
white matter structure in autism studied using, 323
Dopamine
amphetamine-induced release of, in schizotypal personality disorder, 1001
repetitive transcranial magnetic stimulation effects on release of, 484
stress-induced output of, olanzapine effects on, 477
in Tourette syndrome, 916
Dopaminergic D_2 receptor
amphetamine pretreatment effects on, 1188
in obsessive-compulsive disorder, 1041
Dopaminergic hyperresponsivity, adult-onset, 797
DTNBP1, 971
Dystrobrevin binding protein 1 gene, 971

Early-onset schizophrenia
cerebral volume asymmetries in, 148
frontal white matter integrity reductions in, 1138
Eating disorders
animal studies of, 1075
anxiety reduction after restricted feeding, 1075
serotonin 1A receptor binding in, 871
Elderly depression
brain size mapping in, 382
cortical gray matter changes in, 382
magnetic resonance imaging of, 390
Electroconvulsive seizures
endothelial cell activation by, 420
NG2-expressing glial cell proliferation induced by, 464
Electroconvulsive therapy
in community settings, 301
long-term depression in neostriatum impaired by, 472
Emotional memories
amygdala oscillations in consolidation of, 559
Endocrine system
maternal behavior influenced by, 724
Endothelial cells
electroconvulsive seizure effects on, 420
Estradiol
depression in postmenopausal women treated with, 406
Ethanolamine
mitochondrial function inhibited by, 273
Event-related functional magnetic resonance imaging
reward-related brain circuitry imaged using, 359

Facial expressions
amygdala responses to, 897
gender differences in brain engagement during evaluation of, 1047
subcortical and ventral prefrontal cortical neural responses to, 578

Fear
citalopram effects on, 1171
Fibroblast growth factor 2
fluoxetine and olanzapine effects on expression of, 1095
First-episode schizophrenia
abnormal gyral connectivity in, 859
gyrification in, 141
Fluoxetine and olanzapine
fibroblast growth factor 2 expression modulated by, 1095
locus coeruleus neuronal activity potentiated by, 1103
obsessive-compulsive disorder treated with, 553
FosB/triangleFosB, 457
Frontal lobe gray matter, 648
Frontal lobe schizophrenia
near-infrared spectroscopy analysis of, 154
Functional magnetic resonance imaging
auditory verbal working memory in nonpsychotic relatives of persons with schizophrenia, 490
reward-related brain circuitry imaged using, 359
Tourette syndrome, 916
traumatic memory activation patterns, 603

GABA(A) alpha 6 receptor, 244
GABRA1 gene, 40
Gamma-hydroxybutyrate
locus coeruleus norepinephrine neurons affected by, 934
Gender differences
attention-deficit hyperactivity disorder, 692
threat evaluations, 1047
Gene expression arrays, 107, 346
Genetics
of aggressiveness, 642
P50 sensory gating, 663
of social impulsivity, 642
Geriatric depression
brain size mapping in, 382
cortical gray matter changes in, 382
magnetic resonance imaging of, 390
G72/G30 polymorphism, 976
Glial cells
in amygdala in major depressive disorder patients, 563
electroconvulsive seizure effects on, 464
Glucocorticoid receptor
neonatal maternal separation effects on, 367
Glucocorticoids
declarative memory in major depression affected by, 811
peripheral mononuclear leukocyte sensitivity to, in posttraumatic stress disorder, 1110
Glycine
high-dose, 165
Glycogen synthase kinase-3 inhibitors
antidepressant effects of, 781
Glycose transporter I inhibitors, 452
G-protein β-3-subunit C825T polymorphism
seasonal affective disorder and, 317
Gray matter
cortical, in elderly depression, 382
frontal lobe, 648
volume of
in bipolar disorder, 648, 1154
schizophrenia risks and, 126
smoking effects on, 77
Gyrification
in first-episode schizophrenia, 141
in schizophrenia, 859

Head circumference
HOXA1 A218G polymorphism and, in autism, 413
Heart rate variability
in posttraumatic stress disorder, 685, 953
during sleep, 953
Hemoglobin, 501
Herpes simplex virus type 1
bipolar disorder-related cognitive deficits caused by, 588
High-dose glycine, 165
Hippocampus
adverse early experiences effect on, 868
β-catenin in, glycogen synthase kinase-3 inhibitors effect on, 781
corticosteroid therapy effects on, 538
endothelial cell activation in, electroconvulsive seizure effects on, 420
schizophrenia-related impairments in, 668
structural asymmetry of, in psychopathy, 185
tianeptine effects on apoptosis in, 789
Homovanillic acid, 739
HOXA1 A218G polymorphism, 413
5-Hydroxyindolacetic acid, 739
3-Hydroxy-4-methoxyphenylglycol, 739
5-Hydroxytryptamine, 1090
Hypothalamic-pituitary-adrenal axis
catechol-O-methyltransferase polymorphism effects on, 102
neonatal maternal separation effects on, 367
[^{123}I]iodobenzamide single-photon emission computed tomography, 1001

Interferon-γ
nitric oxide production in autism affected by, 434
Ischemic depression, 390

Laser-assisted microdissection, 107
Late-stage motion processing
in schizophrenia, 834
Learning
in Holocaust survivors with posttraumatic stress disorder, 291
Limbic-hypothalamic-pituitary-adrenal axis
serotonin transporter gene effects on, 733
stress responses of, 733
Locus coeruleus neurons
fluoxetine and olanzapine effects on, 1103
gamma-hydroxybutyrate effects on, 934
Long-term depression
electroconvulsive therapy effects on, 472

Magnetic resonance imaging
cingulate cortex thickness in specific phobia, 946
functional
auditory verbal working memory in nonpsychotic relatives of persons with schizophrenia, 490
reward-related brain circuitry imaged using, 359
Tourette syndrome, 916
traumatic memory activation patterns, 603
prefrontal cortical thickness in first-episode psychosis, 131
Major depressive disorder. *See also* Depression
in acute coronary syndrome patients, 891

bipolar disorder vs., 578
glial cell reduction in amygdala of patients with, 563
glucocorticoids effect on declarative memory in, 811
omega-3 fatty acid levels in, 891
orbitofrontal cortex in, 353
serotonin 5-HT_{2A} receptor binding in, 217
subcortical and ventral prefrontal cortical neural responses to facial expressions in, 578
Mania. *See also* Bipolar disorder
ventral frontal response dysfunction in, 1163
Mass spectrometry, 524
Maternal behavior
behavioral coping affected by, 1069
endocrine system effects on, 724
Maternal depression, 376
Maternal deprivation
auditory information processing effects of, in rats, 701
brain-derived neurotrophic factor expression affected by, 708
Maternal separation, 367, 868
Medial prefrontal cortex
abnormal function of, in mania, 1163
abuse-related posttraumatic stress disorder and, 612
reward processing activation of, 594
Medical illness
depression and, 1
Memory
amygdala oscillations in consolidation of, 559
in Holocaust survivors with posttraumatic stress disorder, 291
traumatic
in borderline personality disorder, 603
after cardiac surgery, 627
neural activation patterns of, 603
Mesoaccumbens response, 172
Methamphetamine. *See also* Amphetamine
neuronal death induced by, brain-derived neurotrophic factor effects on, 52
yohimbine effects on behaviors associated with, 1082
Methylphenidate
for attention-deficit hyperactivity disorder, 776
Microarrays
gene expression profiles in, agonal factors effect on, 346
postmortem brain studies using, 329, 337, 346
quantitative polymerase chain reaction validation of, 337
Microdissection, laser-assisted, 107
Milnacipran, 320
Mineralocorticoid receptor
neonatal maternal separation effects on, 367
Mitochondria
ethanolamine effects on, 273
phosphoethanolamine effects on, 273
subunit expression alterations of, in schizophrenia, 676
Mitogen-activated protein kinase, 118
Modafinil
cognitive effects of, in adults with attention-deficit hyperactivity disorder, 1031
Monkeys. *See also* Animal models
aggressiveness studies in, 642
repetitive transcranial magnetic stimulation effects on dopamine release, 484
social impulsivity studies in, 642
Monoamine neurotransmitters
metabolites of, 739
Mood disorders
cyclic adenosine monophosphate response element binding protein phosphorylation and, 570
electroconvulsive therapy effects on, 472
GABRA1 gene in, 40
Mu opioid receptors
positron emission tomography measurements of, 255

N-Acetyl asparate ratio
corticosteroid therapy effects on, 538
Naloxone
hypothalamic-pituitary-adrenal axis responses to, 102
Near-infrared spectroscopy
of depression, 501
of schizophrenia, 154, 501
Neostriatum
electroconvulsive therapy effects on, 472
Neural cell adhesion molecule 1 gene polymorphisms
bipolar disorder and, 804
Neurokinin 1 receptor, 1007
Neuroleptics
atypical, striosomal FosB/ΔFosB expression induced by, 457
cognitive effects of, in schizophrenia, 1013
Neuronal death
methamphetamine-induced, brain-derived neurotrophic factor effects on, 52
Neurons, locus coeruleus
fluoxetine and olanzapine effects on, 1103
gamma-hydroxybutyrate effects on, 934
Neuroticism
GABA(A) alpha 6 receptor variants in, 244
serotonin transporter variants and, 244
NG2-expressing glial cells
electroconvulsive seizure-induced proliferation of, 464
Nicotine
brain function effects of, in schizophrenia, 850
Nitric oxide
in autism, 434
interferon-γ effects on, 434
N-Methylglycine, 452
Norepinephrine transporter
antidepressant regulation of, 313
Norepinephrine-serotonin reuptake inhibitors
depression treated with, 296
description of, 320
NOTCH4 gene haplotype
schizophrenia in African Americans associated with, 112

Obsessive-compulsive disorder
comorbidity-based subgroups of, 960
dopaminergic D2 receptor binding in, 1041
fluoxetine-refractory, olanzapine added to, 553
streptococcus and, 61
Olanzapine
fluoxetine and
fibroblast growth factor 2 expression modulated by, 1095
locus coeruleus neuronal activity potentiated by, 1103
obsessive-compulsive disorder treated with, 553
high-dose glycine added to, 165
schizophrenia treated with, 165
stress-induced dopamine output in prefrontal cortex affected by, 477

Oligodendrocytes
glial cell reduction in amygdala in major depressive disorder patients caused by, 563
Omega-3 fatty acids
in major depressive disorder, 891
Opiate addiction
anterior cingulate error-dependent activation lacking in, 531
Orbitofrontal cortex
in major depressive disorder, 353
Orbitofrontal to amygdala volume
in schizophrenia, 512
p75 neurotrophin receptor, 797

P50 sensory gating, 663
Peripheral mononuclear leukocytes
glucocorticoid sensitivity of, in posttraumatic stress disorder, 1110
Pervasive developmental disorder
childhood-onset schizophrenia and, 989
Phobia, specific
cingulate cortex thickness in, 946
Phonologic reading interventions, 926
Phosphoethanolamine
mitochondrial function inhibited by, 273
PIK3C3 promoter variant, 981
Pineal gland
TPH1 and TPH2 expression in, 428
Platelets
regional cerebral blood flow and, in cocaine-dependent patients, 91
Polymerase chain reaction, quantitative
postmortem brain studies using, 337
Polymorphisms
catechol-O-methyltransferase, hypothalamic-pituitary-adrenal axis responses affected by, 102
G72/G30, 976
G-protein β-3-subunit C825T, 317
HOXA1 A218G, 413
neural cell adhesion molecule 1 gene, 804
serotonin transporter gene, 1023, 1090
sigma1 receptor gene, in alcoholism, 85
synapsin III, 118
Positron emission tomography
amphetamine pretreatment effects on dopaminergic D2 receptor studied using, 1188
[^{11}C], 255, 484, 1188
child abuse memories studied using, 759
dopamine release induced by repetitive transcranial magnetic stimulation, 484
[^{18}F], 217
mu opioid receptor binding measured using, 255
neurokinin 1 receptor occupancy by aprepitant studied using, 1007
serotonin 5-HT$_{2A}$ receptor binding in major depressive disorder measured using, 217
serotonin transporter in alcoholism imaged using, 766
Postmenopausal women
depression in, estradiol for, 406
Posttraumatic stress disorder
abuse-related
anterior cingulate dysfunction in, 612
in women, 612
amygdala in, 253
arousal in, 284
after cardiac surgery, 627
cavum septum pellucidum and, 656
in children, 685
corticotrophin-releasing hormone and, 752
cortisol levels and, 621, 940
cytokine production in, 745
early onset of, 953
GABA plasma levels and, 250
glucocorticoid sensitivity in, 745
heart period variability in, 685
Holocaust survivors with, 291
hypocortisolism in, 745
pediatric maltreatment-related, pituitary volumes in, 752
peripheral mononuclear leukocytes sensitivity to glucocorticoids in, 1110
prefrontal cortex in, 253
respiratory sinus arrhythmia in, 284
traumatic memory patterns, 603
in women, 612, 621
Prefrontal cortex
lesions of, 172
maternal deprivation effects on brain-derived neurotrophic factor expression in, 708
medial
abnormal function of, in mania, 1163
abuse-related posttraumatic stress disorder and, 612
reward processing activation of, 594
neural responses, in bipolar disorder, 578
olanzapine effects on stress-induced dopamine output in, 477
p75 neurotrophin receptor function alterations in, 797
in posttraumatic stress disorder, 253
thickness of, in psychosis, 131
transcranial magnetic stimulation of, in depressed patients, 882
Prepulse facilitation
in schizophrenia, 518
Prepulse inhibition
acoustic startle and, 98, 1195
p75 neurotrophin receptor function alterations effect on, 797
in schizophrenia, 518
Protein kinase A
in depressed suicide victims, 234
Psychiatric disorders. *See also specific disorder*
adverse early experiences in, 868
dendritic spines' role in, 1121
gene expression arrays for studying, 107
smoking and, 69
Psychopathy
hippocampal structural asymmetry in, 185
Psychosis, 131, 976
Puberty, 546
Pyramidal cells
size reduction of, in schizophrenia, 1128

Quantitative polymerase chain reaction
postmortem brain studies using, 337

Raphe nuclei
stress-induced elevation of tryptophan hydroxylase mRNA in, 278

TPH1 and TPH2 expression in, 428
Reading
occipitotemporal systems in, 926
Regional cerebral blood flow
cocaine dependence effects on, 91
platelet abnormalities and, 91
Regional gray matter volume
smoking effects on, 77
Repetitive transcranial magnetic stimulation
dopamine release induced by, 484
neuronavigated, in tinnitus patients, 1117
poststroke depression treated with, 398
Research
diffusion tensor imaging uses in, 201
Respiratory sinus arrhythmia
in posttraumatic stress disorder, 284
Reward processing
in adolescents, 359
anterior cingulate activation by, 594
in children, 359
medial prefrontal cortex activation by, 594
RGS4, 192
rh5-HTTLPR, 733
Risperidone
schizophrenia treated with, 165

Sarcosine
antipsychotics and, for schizophrenia, 452
Schizophrenia
in African Americans, 112
amygdala in, 439
animal models of, 172
anxiety in, 439
auditory verbal working memory in nonpsychotic relatives of persons with, 490
cerebellar dysfunction in, 1146
childhood-onset
G72/G30 polymorphisms and, 976
pervasive developmental disorder and, 989
cognition in
deficits of, 826
neuroleptic treatment effects on, 1013
depression in, 439
DTNBP1 and, 971
dystrobrevin binding protein 1 gene and, 971
early-onset
cerebral volume asymmetries in, 148
frontal white matter integrity reductions in, 1138
epigenetic thesis of, 965
first-episode
abnormal gyral connectivity in, 859
gyrification in, 141
frontal lobe dysfunction in, near-infrared spectroscopy analysis of, 154
genetic thesis of, 965
gray matter volume abnormalities and, 126
gyral connectivity in, 859
hemoglobin concentrations in, 501
hippocampal function impairments in, 668
late-stage motion processing in, 834
mesoaccumbens response in, 172
mitochondrial complex I subunit expression alterations in, 676
nicotine effects on brain function in, 850
NOTCH4 gene haplotype associated with, 112
novel words testing in, 668
olanzapine for, 165
orbitofrontal to amygdala volume alterations in, 512
origins of, 965
p75 neurotrophin receptor function alterations and, 797
P50 sensory gating in, 663
PIK3C3 promoter variant and, 981
prepulse facilitation in, 518
prepulse inhibition in, 518
pyramidal cell size reduction in, 1128
RGS4 as susceptibility gene for, 192
risperidone for, 165
serotonin 5-HT_{1A} receptors in, 225, 439
serotonin 5-HT_{1B} receptors in, 225
sexual dimorphisms in, 512
superior temporal gyrus functional differences in, 842
susceptibility genes for, 192
sustained attention deficits in, 995
synapsin III polymorphism in, 118
Synaptogyrin 1 gene mutation in, 196
synchronous hemodynamic activity in, 842
treatment of
antipsychotics, 452, 1013
sarcosine, 452
sonepiprazole, 445
velocity discrimination deficit in, 834
white matter volume abnormalities and, 126
Schizotypal personality disorder
amphetamine-induced dopamine release in, 1001
caudate nucleus in, 177
cognitive abnormalities in, 177
Seasonal affective disorder
G-protein β-3-subunit C825T polymorphism and, 317
Selective attention
in attention-deficit hyperactivity disorder, 776
Selective D4 antagonists, 445
Selective mutism, 1061
Selective serotonin reuptake inhibitors
citalopram, 1171
depression treated with, 957
norepinephrine and, for depression, 296
Sensory gating
maternal deprivation effects on, in rats, 701
P50, 663
Serotonin 1A receptor
in bulimia nervosa, 871
Serotonin 5-HT_{1A} receptors
in bipolar disorder, 225
in depression, 225
in schizophrenia, 225, 439
Serotonin 5-HT_{2A} receptors
in depression, 217
Serotonin reuptake inhibition
norepinephrine and, for depression, 296
Serotonin transporter
in alcoholism, positron emission tomography of, 766
neuroticism and, 244
Serotonin transporter gene
limbic-hypothalamic-pituitary-adrenal axis activity affected by, 733
polymorphisms of, 1023, 1090

suicide and, 46, 1023
Sigma1 receptor gene
polymorphisms of, in alcoholism, 85
Single-photon emission computed tomography
cannabinoid CB1 receptors imaged using, 904
[^{123}I]iodobenzamide, 1001
Sleep
heart rate variability during, 953
Slow cortical potentials
in attention-deficit hyperactivity disorder, 772
behavioral effects of, 772
neurophysiological effects of, 772
Smoking
psychiatric disorders and, 69
regional gray matter volumes and, 77
Social dominance
testosterone and, 546
Social impulsivity, 642
Sonepiprazole
schizophrenia treated with, 445
Specific phobia
cingulate cortex thickness in, 946
Startle reflex
p75 neurotrophin receptor function alterations effect on, 797
prepulse inhibition and, 98, 1195
Streptococcus
obsessive-compulsive disorder and, 61
tic disorders and, 61
Stress
dopamine output induced by, olanzapine effects on, 477
genomic regions, 634
hippocampal effects, 868
limbic-hypothalamic-pituitary-adrenal axis activity affected by, 733
tryptophan hydroxylase mRNA elevation caused by, 278
Striosome
FosB/ΔFosB expression, 457
Stroke
depression after, repetitive transcranial magnetic stimulation for, 398
Stroop, 612
Suicide
cyclic adenosine monophosphate response element binding protein phosphorylation and, 570
protein kinase A levels in depressed patients after, 234
serotonin transporter gene and, 46, 1023
Superior temporal gyrus
in schizophrenia, 842
Surface enhanced laser desorption/ionization time-of-flight mass spectrometry, 524
Sustained attention
schizophrenia-related deficits, 995
Synapsin III, 118
Synaptogyrin 1 gene, 196

Temporal cortex
tianeptine effects on apoptosis in, 789
Testosterone
antisocial behavior and, 546
social dominance and, 546
Tetrahydrocannabinol, 904
Threat
gender differences in brain engagement during evaluation of, 1047
Tianeptine
antiapoptotic effects of, in hippocampal dentate gyrus and temporal cortex, 789
citalopram and, comparisons between, 1171
Tic disorders
streptococcus and, 61
Time-of-flight mass spectrometry, 524
Tinnitus
neuronavigated repetitive transcranial magnetic stimulation effects on, 1117
Tourette syndrome
cognitive-pharmacologic functional magnetic resonance imaging in, 916
radiation dose in, 904
TPH1, 428
TPH2, 428
Trait anxiety, 715, 1179
Transcranial magnetic stimulation
focal prefrontal cortex, in depressed patients, 882
poststroke depression treated with, 398
Transgenic animal models
neuronal function in, 785
Traumatic brain injury
pediatric, anxiety after, 208
violent behavior and, 21
Traumatic memory. *See also* Posttraumatic stress disorder
in borderline personality disorder, 603
after cardiac surgery, 627
neural activation patterns of, 603
Tryptophan depletion
in depression, 957
Tryptophan hydroxylase
pineal gland expression of, 428
raphe nuclei expression of, 428
stress effects on, 278
suicide attempt risks and, 46

Vagus nerve stimulation, 816
Velocity discrimination deficit
in schizophrenia, 834
Violent behavior
neurologic correlates of, 21
traumatic brain injury and, 21
Virtual reality
anxiety research using, 1056
fear conditioning in, 1056
Voxel-based morphometry, 1154

White matter
autism and, 323
frontal, 1138
schizophrenia and, 126, 1138
volume of, 126
Women
postmenopausal, estradiol for depression in, 406
posttraumatic stress disorder in, 612, 621
Working memory, auditory verbal
in nonpsychotic relatives of persons with schizophrenia, 490

Yohimbine, 1082